Remington Ammunition
2592 Arkansas Hwy. 15 N
Lonoke, AR 72086
1-800-243-9700
www.remington.com
©2022 Remington Ammunition

REMINGTON AMMUNITION

CATALOG 2022

Remington®

CATALOG 2022

BIG GREEN IS BACK

Remington is proud to be the ammunition you carry into the woods, the mountains, the range, and by your side. Big Green is proud to serve Americans who so tirelessly support our Second Amendment rights. And we're proud that you put your trust behind an American manufacturer and our workforce in Lonoke, Arkansas.

Throughout our history, we've loaded some pretty important rounds. Ammunition for our armed forces. Ammunition for dream hunts. Ammunition for those celebrating the right to ring steel. But the most important round we'll ever manufacture is the next one. The one that hooks tomorrow's duck hunter on cupped wings over icy ponds. The one you'll carry to protect all that you hold dear. You see, we're dedicated to ensuring that next round is not only easily available but built with a fanatical devotion to quality.

At this very moment, we're working around the clock to get you the ammo you need. We're investing in innovation to make the Remington Ammuntion of tomorrow more advanced than the ammo you hold today.

We've hired hundreds of new employees to build the biggest workforce we've ever had because we understand how important that next round is. So, thank you for your patience as we work night and day to put more ammo on the shelves and in your packs. But most of all, thank you for helping us say with a voice that grows stronger every day, "Big Green is Back."

Remington®

2022 PRODUCTS

NEW PRODUCTS 5

AMMUNITION

- RIFLE 9
- SHOTSHELL 35
- HANDGUN 59
- RIMFIRE 71

ACCESSORIES 77

LICENSED PRODUCTS 89

SPECIFICATIONS 93

NEW

CORE-LOKT® TIPPED

THE DEADLIEST MUSHROOM. NOW EVEN DEADLIER.

Core-Lokt's gone long range with new Core-Lokt Tipped. Improved accuracy and ballistic coefficients combine with trusted Core-Lokt terminal performance on game.

NOW AVAILABLE

PREMIER® TSS

KNOCK THE GOBBLE OUT OF THEM.

Coming this spring, Premier TSS delivers dense Tungsten Super Shot payloads, tight patterns, and more birds to the ground.

NEW

PREMIER® MAGNUM TURKEY HIGH VELOCITY 20GA

Bust big toms with smaller gauges at faster speed. Premier Magnum Turkey High Velocity, now in 20 gauge.

NEW FOR 2022

NEW

PETERS® PAPER

PETERS PERFORMANCE IN PAPER.

Old school hull meets new school performance. With less felt recoil and that classic paper smell, break clays in style. Buy today on Remington.com.

LOW RECOIL

NEW

LOW RECOIL PREMIER® STS® & GUN CLUB®

CRUSH CLAYS. NOT SHOULDERS.

Trap, skeet, or sporting, your go-to load is now available with less recoil. Shoot longer, stay stronger.

NEW

PREMIER NITRO SPORTING CLAYS 20 GAUGE | 28 GAUGE

You asked, we answered. The top choice in trap, skeet and sporting is now available in 20 gauge and 28 gauge.

NEW FOR 2022

NEW CARTRIDGE

30 SUPER CARRY™

The power of 9mm combined with the concealability of 380 Auto, new 30 Super Carry is designed with concealed carry needs in mind. Available for the range with UMC and for EDC with HTP.



NEW

RANGE CLEAN™

Designed to eliminate lead at the firing position, a must for indoor ranges. Available in common cartridges and loadings.

NEW

GOLDEN SABER® DEFENSE

Trusted Golden Saber performance, build to defend when it matters most. Available in loads optimized for both full size and compact handguns.

NEW

UMC® HANDGUN 327 FEDERAL MAGNUM

Your favorite range rounds now come ready in 327 Federal Magnum.

BUY REMINGTON DIRECT

You've asked for it, and it's here. Order Remington Ammunition, accessories and merchandise direct from www.remington.com.

NEW FOR 2022

NEW

PREMIER® MATCH ACCUTIP-V™ | UMC® 224 VALKYRIE

Match day, range day or a prairie dog's last day, reach out further with Remington and new 224 Valkyrie. Available in Premier Match, UMC rifle, or Accutip-V offerings.

NEW

PREMIER MATCH 6.5 PRC | 6.5 CREEDMOOR 6.5 GRENDEL | 260 REMINGTON 224 VALKYRIE

Compete and win with Remington's new assortment of Premier Match cartridges, available for the first time.

NEW

UMC® RIFLE 450 BUSHMASTER | 300 BLACKOUT 224 VALKYRIE

Let freedom ring. UMC rifle now available in three new offerings.

NEW

MAGNUM RIMFIRE 17 HMR

Varmints beware, two new 17 HMR loads now available in both a jacketed hollow point and a pointed soft point.

NEW

CORE-LOKT® 350 LEGEND & 450 BUSHMASTER

Your new rifle deserves Core-Lokt. Make it happen with new Core-Lokt 350 Legend and 450 Bushmaster.

RIFLE

CORE-LOKT TIPPED 11
PREMIER RIFLE 15
HYPERSONIC BONDED 19
CORE-LOKT 21
HIGH PERFORMANCE RIFLE 25
SUBSONIC 27
ULTIMATE DEFENSE 28
UMC 29
MANAGED-RECOIL 30
MUZZLELOADER 31
RELOADING COMPONENTS 33

NEW

CORE-LOKT TIPPED

In 1939, Remington introduced what is today the best-selling deer ammo of all time, Core-Lokt®. America's original controlled expansion bullet, the revolutionary design changed big game hunting forever. By mechanically locking the bullet's tapered copper jacket to its solid lead core, jacket and core separation is prevented. With resulting high weight retention, the bullet also reliably expands to more than twice the original caliber, earning Core-Lokt the moniker "The Deadliest Mushroom in the Woods."

In 2021, ammunition specialists at Remington built on this legacy with the introduction of new Core-Lokt Tipped. Combining the terminal performance and hard-hitting power of classic Core-Lokt with an improved design and new polymer tip, Core-Lokt Tipped provides match-grade accuracy with truer flight, flatter trajectory and increased long-range potential. With better ballistic coefficients, Core-Lokt Tipped takes the deadliest mushroom from the deer woods to the plains, mountains, and prairies to pursue far away game.

Proudly made in Lonoke, Arkansas, Remington continues to produce millions of rounds of both Core-Lokt and Core-Lokt Tipped. The Deadliest Mushroom in the Woods is Now Even Deadlier.

SEE CORE-LOKT TIPPED IN ACTION!

NEW

CORE-LOKT® TIPPED

New for hunting season, this is Core-Lokt® Tipped. Offering proven on-game performance with improved accuracy and long-range potential, it's fair to say the legend just became more legendary. Thousands of rounds in development, Core-Lokt Tipped combines truer flight, flatter trajectory and devastating terminal energy. No wonder it's the consistent choice of serious hunters all over the world.



1 BIG GREEN POLYMER TIP
Improves long-range ballistics, in-flight accuracy, and initiates rapid expansion

2 PROVEN CORE-LOKT JACKET
Tuned for optimal performance on big game

3 MATCH-GRADE ACCURACY
Center of gravity adjusted rearward to maximize accuracy

4 PREMIER BRASS
Factory fresh brass built to the highest of standards

5 ADVANCED PROPELLANTS
Carefully chosen propellants built for a clean burn and utmost accuracy

6 REMINGTON PRIMER
Steady and consistent ignition when it matters most

CORE-LOKT TIPPED

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
243 Win	RT243WA	29015	95	CLT
6.5 Creedmoor	RT65CR1	29017	129	CLT
270 Win	RT270WA	29019	130	CLT
280 Remington	RT280RA	29020	140	CLT
7mm Remington Magnum	RT7MMRB	29021	150	CLT
30-06 Sprg	RT3006A	29027	150	CLT
30-06 Sprg	RT3006B	29035	165	CLT
30-06 Sprg	RT3006C	29037	180	CLT
300 Win Mag	RT300WC	29038	180	CLT
308 Win	RT308WA	29039	150	CLT
308 Win	RT308WB	29044	165	CLT
308 Win	RT308WC	29041	180	CLT
300 WSM	RT300WSM1	29043	150	CLT

KEY: CLT = Core-Lokt Tipped

For more information on ballistics, see pages 93-98.

PREMIER SCIROCCO® BONDED

Big game beware because the remarkable Scirocco bullet by Swift™ is coming for you. As the leader in bonded, tipped bullets, Scirocco delivers the highest ballistic coefficient, the flattest trajectory, and unsurpassed accuracy. Combined with maximum retained energy and superior weight retention, it's unquestionably the toughest polymer-tipped bullet on bucks, bulls, and boars at all ranges. Powerful performance. Ultimate accuracy. Big game won't know what hit 'em.

EXPANDS RELIABLY OVER A WIDE RANGE OF TERMINAL VELOCITIES.

100 yards | 200 yards | 300 yards | 400 yards

A TIPPED BULLET THAT POWERS THROUGH.



1. **PRECISION-SHAPED POLYMER TIP**
   Expands reliably for lethal results
2. **JACKET AND CORE LOCKED TOGETHER**
   Features the most advanced bonded bullet design
3. **SLEEK PROFILE**
   Delivers optimal flight and trajectory
4. **BOAT TAIL BASE DESIGN**
   Retains initial velocity and energy downrange

5 SHOTS, .8" @ 100 YDS.

30-06, 180-gr. Premier Scirocco Bonded

PREMIER SCIROCCO BONDED

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
243 Win	PRSC243WA	29320	90	SSB
6.5 Creedmoor	PRSC65CR	29344	130	SSB
270 Win	PRSC270WA	29322	130	SSB
7mm Remington Magnum	PRSC7MMB	29316	150	SSB
7mm Remington Ultra Magnum	PRSC7UM1	29335	150	SSB
30-06 Sprg	PRSC3006B	29318	150	SSB
30-06 Sprg	PRSC3006C	29328	180	SSB
300 WSM	PRSC300WSMB	29345	180	SSB
300 Win Mag	PRSC300WB	29330	180	SSB
300 Remington Ultra Magnum	PR300UM5	27950	150	SSB
300 Remington Ultra Magnum	PR300UM3	27936	180	SSB
308 Win	PRSC308WB	29332	165	SSB

KEY: SSB = Swift Scirocco Bonded

For more information on ballistics, see pages 93-98.



PREMIER® ACCUTIP-V AND PREMIER ACCUTIP

PRECISELY THE VARMINT HUNTING BULLET OF YOUR DREAMS.

Optimized to deliver superior match-grade accuracy and maximum downrange energy whenever, and wherever you need it, every time. Specially engineered for varmint hunting, AccuTip-V bullets are optimized for match-grade accuracy and explosive on-game results. At impact, its gold polymer tip is driven rearward causing the thin jacket and soft lead core to fragment violently. The AccuTip slug we load in the 450 Bushmaster has proven itself on big game time and time again as one of the most accurate and lethal big game projectiles ever conceived.

ONE SERIOUSLY LETHAL HUNTING TIP.

- **POLYMER TIP**
  Eliminates nose deformation
- **SLEEK PROFILE**
  Optimizes ballistic coefficient for flat trajectory
- **JACKET THICKNESS**
  Tuned for violent terminal performance
- **MATCH-GRADE ACCURACY**

PREMIER ACCUTIP-V & PREMIER ACCUTIP

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
17 Remington	PRA17RA	29162	20	ATV
17 Remington Fireball	PRA17FB	29165	20	ATV
204 Ruger	PRA204A	29218	32	ATV
204 Ruger	PRA204B	29220	40	ATV, BT
22 Hornet	PRA22HNA	29154	35	ATV
221 Remington Fireball	PRA221FB	29172	50	ATV, BT
222 Remington	PRA222RB	29174	50	ATV, BT
223 Remington	PRA223RB	29184	50	ATV, BT
223 Remington	PRA223RC	29192	55	AT
NEW 224 Valkyrie	PRA224VLK	21202	60	ATV
22-250 Remington	PRA2250RB	29186	50	ATV, BT
243 Win	PRA243WB	29194	75	ATV, BT
450 Bushmaster	PRA450B1	27943	260	AT

KEY: AT = AcctTip ATV = AcctTip-V BT = Boat-Tail

For more information on ballistics, see pages 93-98.

5 SHOTS, .6" @ 100 YDS.

308 Win, 168-gr. Premier Match

PREMIER® MATCH

ENGINEERED FOR ACCURACY. BUILT FOR PERFORMANCE.

When it comes to match-grade accuracy, Premier Match ammunition not only sets the bar, it is the bar. Using only match-grade bullets, Premier Match employs special loading practices to ensure top-tier performance and unequaled accuracy with every shot. Whether used for competition shooting or taking your range day to the next level, Premier Match is guaranteed to deliver like no other ammunition.

PREMIER MATCH

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
NEW 6mm Creedmoor	RM6CRD	20001	107	MatchKing BTHP
223 Remington	R223R6	22106	62	HP, Match
223 Remington	RM223R1	27680	69	MatchKing BTHP
223 Remington	RM223R3	27686	77	MatchKing BTHP
NEW 224 Valkyrie	RM224VLK	21201	90	MatchKing
NEW 260 Remington	RM260R1	26852	142	MatchKing BTHP
NEW 6.5 Creedmoor	RM65CR	27661	140	MatchKing BTHP
NEW 6.5 PRC	RM65PRC01L	27673	140	Berger OTM
NEW 6.5 Grendel	RM65GDL	21205	130	Berger OTM
6.8mm Remington SPC	RM68R1	27676	115	MatchKing BTHP
300 AAC Blackout	RM300AAC6	21503	125	MatchKing
308 Win	RM308W7	21485	168	MatchKing BTHP
308 Win	RM308W8	21486	175	MatchKing BTHP

For more information on ballistics, see pages 93-98.

HYPERSONIC® BONDED

It's fair to say that HyperSonic Bonded is the most lethal big-game ammunition ever engineered. With hyper-charged velocities up to 200 fps faster than standard loads, it delivers laser-flat trajectories and higher downrange energies. Simply put, it plows through hide, meat, and bone like a hot knife through butter. By pairing the most advanced bonded bullet design of Core-Lokt® Ultra Bonded with a proprietary blend of propellants, HyperSonic Bonded is a high velocity load that's second to none.

GAME-CHANGING VELOCITY MEETS GAME-LEVELING BULLET DESIGN.



HYPERSONIC BONDED				
CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
223 Remington	PRH223R4	28919	62	Core-Lokt Ultra Bonded, PSP
243 Win	PRH243WC	28923	100	Core-Lokt Ultra Bonded, PSP
270 Win	PRH270WB	28955	140	Core-Lokt Ultra Bonded, PSP
30-06 Sprg	PRH3006A	29007	150	Core-Lokt Ultra Bonded, PSP
30-06 Sprg	PRH3006C	29009	180	Core-Lokt Ultra Bonded, PSP
300 Win Mag	PRH300WC	29033	180	Core-Lokt Ultra Bonded, PSP
308 Win	PRH308WA	29119	150	Core-Lokt Ultra Bonded, PSP

For more information on ballistics, see pages 93-98.

OUR DEADLY FORMULA:

- **CORE-LOKT ULTRA BONDED DESIGN**
  Carries boosted velocities and energies through heavy bone with absolute lethal command
- **PROPRIETARY PROPELLANT BLEND**
  Delivers velocities up to 200 fps faster than standard loads
- **REMINGTON-MADE BRASS**
  First-quality brass for consistent feeding and extraction

THE BIGGER THE GAME THE BETTER.

CORE-LOKT®: MAKING THE MUSHROOM

Pioneered in 1939, the now classic Core-Lokt controlled expansion design has proven itself on millions of big game animals. Made in Lonoke, Arkansas since the 1960's, the Deadly Mushroom is made in largely the same way it was first designed.

First, the expert technicians at Remington make the bullet's jacket from copper and zinc gilding metal. A disc is blanked out of metal strip and drawn into a cup that resembles a thimble [1].

Next, the cup is annealed to soften and prepare the metal for the drawing or stretching process on a press. The jacket becomes a long cylinder and it's wall thickness is now established [2-4].

The jacket's wall thickness helps determine the bullet's final expansion on your next hunt. Thin at the mouth, the jacket is progressively thicker and thicker from the mouth to the heel to control expansion at all ranges.

An annealing process next eliminates stress from the draw process and ultimately helps stop the jacket from splitting upon impact. The jacket is now made with the right length, weight, interior and exterior dimensions [5].

Next, the jacket and a precise weight piece of lead that will comprise the core of the bullet are paired together on a bullet assembly machine.

The lead in Core-Lokt is combined with antimony, a chemical element that helps make the lead not so soft that it over-expands on game and under-penetrates, and not so hard that it under-expands and over-penetrates.

Coming to the bullet assembly machine as a long wire, the lead is cut to a consistent length [6]. The lead is inserted into the jacket via punches and dies, seating the lead in place and expanding the soft metal to fill the harder copper jacket [7].

Next, the familiar shape of the bullet is formed, with the ogive, meplat and correct amount of exposed lead at the nose [8-10]. Finally, a cannelure is put on the bullet to help it stay put within the cartridge case [11].

Throughout this process, the ammo experts at Remington are checking and rechecking the bullets and their materials to ensure that the sizing, quality and the characteristic of each component is up to our high standards of performance.

The Core-Lokt bullet is now finished and ready for the process that every handloader is familiar with. The dance of primer, brass case, powder and bullet begins, and at Remington, the final product is hundreds of millions of loaded rounds of *The Deadliest Mushroom in the Woods* packed up and ready to head to millions of hunters all over the world.

1 Cup
2 First Draw
3 Second Draw
4 Third Draw
5 Final Jacket
6 Cut Lead
7 Core Seat
8 Forming
9 Nose Cut
10 Finish Forming
11 Groove
12 Finish Sizing

CORE-LOKT®

RULING THE WOODS FOR OVER 80 YEARS.

Since 1939, Core-Lokt has been a whitetail's worst enemy. As the original controlled expansion bullet, it's filled more tags on more continents than any other load. Available in more caliber and cartridge options than any other deer load, Core-Lokt's tapered copper jacket is locked to a solid lead core to deliver massive 2X expansion, weight retention and consistent on-game results. Core-Lokt. The buck stops here.



Core-Lokt Soft Point

Core-Lokt Pointed Soft Point

1 SOFT POINT SHAPE
Provides broad frontal area for high-energy impact and rapid expansion

2 SPITZER PROFILE
For improved velocity and flatter trajectory

3 BULLET CORE "LOKT" IN PLACE
To provide deep penetration

4 JACKET DESIGNED FOR PROGRESSIVE, RELIABLE EXPANSION
To almost twice the original diameter

THE DEADLIEST MUSHROOM IN THE WOODS.

▲ **CONSISTENT 2X EXPANSION**
For large terminal wound channels

▲ **DEEP PENETRATION**
And high weight retention

▲ **PROVEN LETHAL**
The original controlled-expansion bullet

CORE-LOKT POINTED SOFT POINT

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
223 Remington	R223R8	22111	62	PSP, UB
6mm Creedmoor	R6CM01	29049	100	PSP
6mm Remington	R6MM4	29051	100	PSP
243 Win	R243W3	27802	100	PSP
25-06 Remington	R25062	21507	100	PSP
25-06 Remington	R25063	21515	120	PSP
25-20 Win	R25202	28364	86	PSP
250 Sav	R250SV	29077	100	PSP
6.5 x 55 Swedish	R65SWE1	29140	140	PSP
6.5 Creedmoor	R65CR1	27657	140	PSP
260 Remington	R260R1	21292	140	PSP
264 Win Mag	R264W2	29493	140	PSP
270 Win	R270W1	21325	100	PSP
270 Win	R260W2	27808	130	PSP
270 WSM	R270WSM1	28940	130	PSP
280 Remington	R280R3	28313	140	PSP
280 Remington	R280R1	29069	150	PSP
7mm-08 Remington	R7M081	21337	140	PSP
7mm Remington Magnum	R7MM4	28821	140	PSP
7mm Remington Magnum	R7MM2	29487	150	PSP
7mm Remington Magnum	R7MM3	27814	175	PSP
7mm Mauser (7x57)	R7MSR1	29031	140	PSP
7mm Remington SA UM	PR7SM2	27874	150	PSP
7mm Remington UM	R7RUM01	27759	150	PSP
7 x 64 Brenneke	R7X641	29130	140	PSP
30-40 Krag	R30402	28345	180	PSP
30-06 Sprg	R30061	21401	125	PSP
30-06 Sprg	R30062	27826	150	PSP
30-06 Sprg	R3006B	21415	165	PSP
30-06 Sprg	R30065	27828	180	PSP
300 Savage	R30SV2	21465	150	PSP
300 Win Mag	R300W1	29495	150	PSP
300 Win Mag	R300W2	29497	180	PSP
NEW 450 Bushmaster	R450B1	27941	260	PSP
300 WSM	R300WSM1	29489	150	PSP
308 Win	R308W1	27842	150	PSP
308 Win	R308W3	21479	180	PSP

CORE-LOKT POINTED SOFT POINT

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
300 Weatherby Mag	R300WB1	29279	180	PSP
7.62 x 39mm	R762391	29125	125	PSP
300 Remington SA UM	PR300SM2	27954	165	PSP
300 Remington UM	R300RUM01	27641	180	PSP
30 Remington AR	R30RAR2	29485	150	PSP
338 Remington UM	PR338UM2	27942	250	PSP
338 Win Mag	R338W1	22189	225	PSP
338 Win Mag	R338W2	22191	250	PSP
35 Whelen	R35WH1	21495	200	PSP

CORE-LOKT SOFT POINT

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
257 Roberts	R257	28335	117	SP
270 Win	R270W4	27810	150	SP
280 Remington	R280R2	28417	165	SP
30 Carbine	R30CAR	28322	110	SP
30-30 Win	R30301	27818	150	SP
30-30 Win	R30302	27820	170	SP
30-30 Win	RL30301	27644	125	SP
30-06 Sprg	R30064	21407	180	SP
30-06 Sprg	R30067	27830	220	SP
308 Marlin Express	R308ME1	27848	150	SP
308 Win	R308W2	27844	180	SP
303 British	R303B1	21471	180	SP
32 Win Special	R32WS2	21489	170	SP
35 Remington	R35R2	27852	200	SP
444 Marlin	R444M	29475	240	SP
45-70 Gov (FP)	R4570G1	21459	405	SP
45-70 Gov (RP)	R4570G	29473	405	SP
NEW 350 Legend	R350L1	20012	180	SP

CORE-LOKT HOLLOW POINT

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
30-30 Win	R30303	21395	170	HP

KEY: PSP = Pointed Soft Point SP = Soft Point UB = Ultra Bonded HP= Hollow Point
SA = Short Action UM = Ultra Magnum FP = Full Pressure RP = Reduced Pressure

For more information on ballistics, see pages 93-98.



HIGH PERFORMANCE RIFLE

Assembled with premium components honed to ultra-tight tolerances, our High Performance Rifle series more than lives up to its name. And it's available in a wide range of calibers, bullet weights and styles. In the field, forest or at the range, there's a Remington High Performance Rifle round tailor-made to match any pursuit and honor Remington's proud heritage of innovative rifle ammunition.

HIGH PERFORMANCE RIFLE

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
17 Remington	R17R2	28460	25	HP
22 Hornet	R22HN1	28376	45	PSP
220 Swift	R220S1	21297	50	PSP
222 Remington	R222R1	21303	50	PSP
223 Remington	R223R1	28399	55	PSP
22-250 Remington	R22501	21311	55	PSP
243 Win	R243W1	27800	80	PSP
6.5 Creedmoor	R65CR2	27671	140	BTHP
6.5 Grendel	R65GR1	27649	120	BTHP
32-20 Win	R32201	28410	100	Lead
35 Whelen	R35WH3	21499	250	PSP
375 H&H Mag	R375M1	29097	270	SP
375 Remington Ultra Mag	PR375UM2	29340	270	SP
45-70 Govt (Full Pressure)	R4570L1	21463	300	SJHP

KEY: BTHP = Boat-Tail Hollow Point SJHP = Semi-Jacketed Hollow Point
PSP = Pointed Soft Point SP = Soft Point HP= Hollow Point

For more information on ballistics, see pages 93-98.

A BULLET FOR EVERY PASSION.

AIM FOR A HIGHER STANDARD OF PERFORMANCE

SUBSONIC

BREAKTHROUGH ACCURACY THAT NEVER BREAKS THE SOUND BARRIER.

Our new Subsonic load is engineered for optimal performance when paired with a suppressor. Loaded with premier components under stringent quality controls, this load delivers consistent, subsonic velocity to prevent supersonic cracks. Bullets in full profile jacketed and open-tip flat base eliminate lead buildup in suppressor ports.

REMINGTON SUBSONIC

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
300 AAC Blackout	S300AAC4	28430	220	Open Tip, Flat Base

For more information on ballistics, see pages 93-98.

ULTIMATE DEFENSE RIFLE BONDED

MAXIMIZE YOUR MSR'S POWER TO DEFEND.

It's the world-class accuracy and controlled expansion reliability you've come to expect in a bonded bullet, engineered to elevate your personal defense preparedness to a new level. Ultimate Defense Rifle Bonded centerfire bullets are manufactured for ultimate bonded bullet performance, offering absolute reliability and absolute peace of mind everywhere it matters most.

- PROGRESSIVELY TAPERED JACKET
- CORE-LOKT® ULTRA BONDED® BULLET
- FLASH SUPPRESSED PROPELLANT
- KLEANBORE® PRIMING

ULTIMATE DEFENSE RIFLE BONDED

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT.(GR.)	BULLET TYPE
223 Remington	RD223R4	22107	62	Core-Lokt Ultra Bonded

For more information on ballistics, see pages 93-98.



UMC® RIFLE

AMERICAN PRIDE MEETS REMINGTON PERFORMANCE.

Value-priced for high-volume shooting, our UMC centerfire rifle ammunition is made right here in the USA and available in 10 popular cartridges, including the 308 Win, 300 AAC Blackout and 30 Carbine. And for all the varmint hunters out there, the 45 and 50-grain jacketed hollow point loads in 223 Remington and 22-250 Remington are ready to deliver. UMC centerfire is also available in 6.8mm Remington SPC, 30-06 SPRG, 303 British and now the 450 Bushmaster. More value. More performance. It's a win-win situation.

SHOOT MORE WITH REMINGTON

UMC RIFLE

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	ROUNDS PER BOX	BULLET TYPE
223 Remington	L223R3	23711	55	20	FMJ
223 Remington	L223R7	23748	45	20	JHP
223 Remington	L223R8	23812	50	20	JHP
22-250 Remington	L22503	23750	45	20	JHP
22-250 Remington	L22504	23813	50	20	JHP
NEW 224 Valkyrie	L224VLK	21203	75	20	FMJ
30 Carbine	L30CR1	23712	110	20	FMJ
6.8mm Remington SPC	L68R2	24035	115	20	FMJ
308 Win	L308W4	23715	150	20	FMJ
30-06 Sprg	L30062	23699	150	20	FMJ
300 AAC Blackout	L300AAC1	21421	120	20	OTFB
NEW 300 AAC Blackout	L300AAC2	26854	150	20	FMJ
303 British	L303B1	23701	174	20	FMJ
300 AAC Blackout	L300AAC4	21422	220	20	OTFB
NEW 450 Bushmaster	L450BM1	23661	260	20	FMJ
22-250 Remington	L22503B	23769	45	40	JHP
22-250 Remington	L22504B	23783	50	40	JHP
308 Win	L300AAC2V	23971	150	40	FMJ
223 Remington	L223R7V	23906	45	50	JHP
223 Remington	L223R8V	23908	50	50	JHP
223 Remington	L223R3V	23966	55	50	FMJ
223 Remington	L223R3A	23775	45	200	JHP
223 Remington	L223R7A	23683	55	200	FMJ
223 Remington	L223R3BC	23897	55	300	FMJ
223 Remington	L223R3BP	23895	55	1000	FMJ

KEY: FMJ = Full Metal Jacket JHP = Jacketed Hollow Point OTFB = Open Tip Flat Base

For more information on ballistics, see pages 93-98.

MANAGED-RECOIL®

HALF THE RECOIL. TWICE THE CONFIDENCE.

For years, shooters have wished for and hand loaders have attempted to create a low-recoil load – usually by simply reducing the amount of gunpowder. The results did create low kick, but at the expense of bullet expansion and on-game performance. For many years, the gap between low recoil and effective hunting performance seemed an insurmountable one. That is, until now. Managed-Recoil Centerfire Ammunition delivers trusted Remington field-proven hunting performance out to 200 yards, with half the recoil. How? Through a specialized new bullet developed specifically to perform at lower velocity levels. Managed-Recoil bullets deliver 2x expansion with over 75% weight retention on shots inside of 50 yards and out to 200 yards. The end result is a high-performance bullet optimized to provide the on-game results you've come to expect from Remington Ammunition with just half the felt recoil.

MANAGED-RECOIL

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
30-30 Win	RL30301	27644	125	Core-Lokt Soft Point

For more information on ballistics, see pages 93-98.

ULTIMATE MUZZLELOADER PRE-PRIMED CASES

BOLT-ACTION CENTERFIRE SIMPLICITY.

Engineered exclusively for the Ultimate Muzzleloader, pre-primed cases load with the ease of any centerfire. Super-hot magnum primers ignite up to 200-grain loads with near smokeless efficiency. The flash channel stays clean and ready for the next load and there's no need to remove the breech plug for cleanup.

ULTIMATE MUZZLELOADER IGNITION SYSTEM

ORDER NO.	INDEX NO.	DESCRIPTION
24153	RPCUML	Ultimate Muzzleloader Ignition System

REMINGTON PERCUSSION CAPS

ORDER NO.	INDEX NO.	DESCRIPTION
22617	X22617	#10 Percussion Cap
22619	X22619	#11Percussion Cap

YOUR MUZZLELOADER'S ULTIMATE PERFORMANCE ADVANTAGE.

UNLEASH ULTRA MAGNUM LOADS

With a dependable and durable design made of primed centerfire brass, the UML Ignition System handles 200-grain magnum charges, resulting in lethal 300-yard performance. For maximum burn and efficiency, use up to four (4) Hodgdon® Triple Seven® 50 grain pellets to safely achieve 2,400 fps (muzzle) in the Remington Ultimate Muzzleloader.

Do not load your muzzleloader in a way that is not prescribed by its owner's manual.

PREMIER® ACCUTIP

OUR BEST TIP FOR MUZZLELOADER ACCURACY.

Take muzzleloader accuracy to the next level with 100% copper, Premier AccuTip bullets. The polymer tipped, 50 caliber, 250-grain bullet delivers rapid expansion with 100% weight retention. Designed for use in any 50-caliber muzzleloader.

PREMIER ACCUTIP

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
50 Caliber	RBMLR2A	30610	250	Accutip FB

For more information on ballistics, see pages 93-98.

RELOADING COMPONENTS

SUPERIORITY DOWNRANGE BEGINS WITH REMINGTON AT YOUR BENCH.

From first-quality brass, to bullets and wads precision-engineered to the highest standards, to the industry's most advanced primers and percussion caps—Remington components give you the edge to develop your best loads for your favorite pursuit. So whether you're at the range, on the sporting clays course or in the field, they just might turn your good day into a perfect one.

BULLETS

Delivering unmatched precision in the most popular bullet styles and weights, ready to be tailored for your favorite pursuits. Remington Bullets. For the hunt, for the range and wherever shot-to-shot consistency matters most.

PISTOL & REVOLVER BULLETS

ORDER NO.	INDEX NO.	CALIBER	NOMINAL BULLET DIAMETER	BULLET WT. (GR.)	BULLET STYLE
23547	RB9MM3	9mm	.355	115	FMJ
23545	RB9MM6	9mm	.355	115	JHP
23549	RB9MM2	9mm	.355	124	FMJ
23551	RB9MM8	9mm	.355	147	JHP
23566	RB380AP	380	.356	95	FMJ
23568	RB38S11	357/38	.357	130	FMJ
23570	RB357M7	357/38	.357	110	SJHP
23572	RB357M1	357/38	.357	125	SJHP
23574	RB357M2	357/38	.357	158	SJHP
23580	RB40SW1	40/10mm	.400	155	JHP
23584	RB40SW3	40/10mm	.400	180	FMJ
23586	RB40SW5	40/10mm	.400	180	FNEB
23582	RB40SW2	40/10mm	.400	180	JHP
23663	RB41MG1	41	.410	200	SJHP
23665	RB44MG6	44	.429	210	SJHP
23667	RB44MG3	44	.429	240	SJHP
23605	RB45AP4	45	.451	230	FMJ
23609	RB45AP7	45	.451	230	JHP

RIFLE BULLETS

ORDER NO.	INDEX NO.	CALIBER	NOMINAL BULLET DIAMETER	BULLET WT. (GR.)	BULLET STYLE
22920	B2432	24/6mm	.243	100	PSPCL
22733	B2571	25	.257	100	PSPCL
22756	B2842	28	.284	150	PSPCL
22788	B3083	30	.308	180	PSPCL
22772	B30301	30	.308	150	SPCL
22958	RB2242	22	.224	50	PSP
22962	RB2244	22	.224	55	FMJ
22960	RB2243	22	.224	55	PSP
22968	RB2247	22	.224	62	HP Match
22930	RB2432	24/6mm	.243	80	PSP
22742	RB682	27/6.8	.277	115	FMJ
22778	RB3085	30	.308	150	FMJ
22814	RB303B	30	.303	180	SPCL
22992	RB4571	45	.457	300	SJHP

BRASS

Its consistency in every dimension translates directly to every target downrange. Choose Remington brass, available in most popular chamberings.

HANDGUN BRASS

ORDER NO.	INDEX NO.	CARTRIDGE
22503	RC357MG	357 Magnum
23202	RC357X	357 Remington Maximum
22522	RC9MM	9mm Luger
22509	RC38AS	38 Super Auto Colt Pistol +P
22511	RC38SP	38 Special
22524	RC40SW	40 S&W
22528	RC41RA	41 Remington Magnum
22517	RC44RA	44 Remington Magnum
22519	RC44SW	44 S&W
22495	RC45C	45 Colt
22527	RC45A	45 Auto

RIFLE BRASS

ORDER NO.	INDEX NO.	CARTRIDGE
22422	RC17FB	17 Remington Fireball
22398	RC17R	17 Remington
22414	RC204R	204 Ruger
22400	RC22H	22 Hornet

SHOTSHELL RELOADING

Primer to payload, you won't find more reliable, more consistent, more widely available components in the quantities and offerings you need.

SHOTSHELL WADS - TARGET - POWER PISTON 1-PIECE

ORDER NO.	INDEX NO.	GAUGE /BORE	OUNCES OF SHOT
24342	FIG8S	12 Gauge	1-1/8 oz
24346	TGT12S	12 Gauge	1 oz, 1-1/8 oz
24338	RXP12	12 Gauge	1-1/8 oz
24344	RXP20	20 Gauge	7/8 oz
24362	PT28S	28 Gauge	3/4 oz
24352	SP410	410 Bore	1/2 oz

SHOTSHELL WADS - HUNTING - POWER PISTON 1-PIECE

ORDER NO.	INDEX NO.	GAUGE	OUNCES OF SHOT
26656	SP10	10 Gauge	1-5/8 to 2-1/4 oz
29922	R12L	12 Gauge	1 oz
29924	R12H	12 Gauge	1-1/8 oz
29926	RP12	12 Gauge	1-1/4 oz
29928	SP12	12 Gauge	1-1/4 oz
29934	SP16	16 Gauge	1-1/8 oz
24378	SP20S	20 Gauge	1 oz

RIFLE BRASS (CONT'D)

ORDER NO.	INDEX NO.	CARTRIDGE
22404	RC221FB	221 Fireball
22406	RC222R	222 Remington
22408	RC223R	223 Remington
22410	RC2250R	22-250 Remington
22402	RC220S	220 Swift
23016	RC243W	243 Win
23086	RC6MMR	6mm Remington
23154	RC6MMCM	6mm Creedmoor
23020	RC2506R	25-06 Remington
23018	RC2520W	25-20 Win
23024	RC257R	257 Roberts
23156	RC65CM	6.5 Creedmoor
23062	RC65S	6.5 x 55 Swedish Mauser
22830	RC260R	260 Remington
23054	RC68SPCR	6.8 Remington SPC
22834	RC270W	270 Win
23226	RC270WSM	270 WSM
22858	RC280R	280 Remington
22860	RC7M08R	7mm-08 Remington
22864	RC7MMG	7mm Remington Magnum
22868	RC7MMRS	7mm Remington Short Action Ultra Magnum
22870	RC7MMRA	7mm Remington Ultra Magnum
23158	RC300AACBLK	300 AAC Blackout
23032	RC3030W	30-30 Win
23036	RC3006	30-06 Sprg
23204	RC300WSM	300 WSM
22876	RC300WM	300 Win Mag
22872	RC300RS	300 Remington Short Action Ultra Magnum
22874	RC300RA	300 Remington Ultra Magnum
22878	RC303B	303 British
23044	RC308W	308 Win
22880	RC8MSR	8mm Mauser
22882	RC8MMG	8mm Remington Magnum
22896	RC338WM	338 Win Mag
22898	RC338RA	338 Remington Ultra Magnum
22902	RC350R	350 Remington Magnum
22904	RC35WH	35 Whelen
22910	RC375H	375 H&H Magnum
22912	RC375RA	375 Remington Ultra Magnum
23066	RC4440W	44-40 Win
23069	RC4570G	45-70 Govt.

CENTERFIRE PRIMERS

ORDER NO.	INDEX NO.	CARTRIDGE
22610	XEL22610	9-1/2 Large Rifle Primer (Electric)
22600	X22600	1-1/2 Small Pistol Primer
22604	X22604	2-1/2 Large Pistol Primer
22626	X22626	5-1/2 Small Pistol Primer
22606	X22606	6-1/2 Small Rifle Primer
22628	X22628	7-1/2 Small Rifle Primer BR
22608	X22608	9-1/2 Large Rifle Primer
22622	X22622	9-1/2M Magnum Rifle Primer*

SHOTSHELL PRIMERS - TARGET / HUNTING

ORDER NO.	INDEX NO.	DESCRIPTION
22661	209PSTS	209 Premier STS

SHOTSHELL PRIMERS - CLAMPACK

ORDER NO.	INDEX NO.	DESCRIPTION
23996	209PSTSB	209 Premier STS Clampack
23990	209ML	Muzzleloading 209 Primer

* Use to reload Ultimate Muzzleloader cases

For the complete line of components, please visit www.remington.com/ammunition/components

SHOTSHELL

WINGMASTER HD 37
HYPERSONIC STEEL 39
NITRO-STEEL / SPORTSMAN HI-SPEED STEEL 41
PREMIER TSS 43
PREMIER MAGNUM / NITRO TURKEY 45
PHEASANT & GAME LOADS 47
BUCKSHOT 49
SLUGS 51
PREMIER STS 53
PREMIER NITRO 55
AMERICAN CLAY & FIELD / GUN CLUB 57
PETERS PREMIER BLUE PAPER 58

WINGMASTER HD™

Our ammunition experts have brought back Wingmaster HD, the one-stop shop in duck and goose high-density shotshell rounds. Testing proves Wingmaster HD delivers the best combination of pellet energy and pattern density resulting in high pattern energy on target. At 12 g/cc, our tungsten blend is 6% denser than lead and nearly 50% denser than steel. Wingmaster HD features higher retained energy, with uniform, smooth, round pellets for dense and efficient patterns. Expect deeper penetration and more pellets on target. If you want the most balanced tungsten waterfowl shotshell on the market, Wingmaster HD delivers.

- **HIGHER RETAINED ENERGY**
  Denser than lead with excellent patterns
- **ROUND, SMOOTH TRUE-SIZED PELLETS**
  Dense, efficient patterns with deep penetration
- **DEEPER PENETRATION AND MORE PELLETS ON TARGET**
  Equal energy – 3 shot sizes smaller than steel

WINGMASTER HD

INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
RW12S4	20693	12	2 3/4	1325	1 1/4	4
RW12S6	20695	12	2 3/4	1325	1 1/4	6
RW122	20871	12	3	1450	1 1/4	2
RW124	20873	12	3	1450	1 1/4	4
RW126	20875	12	3	1450	1 1/4	6
RW12M2	20685	12	3	1450	1 3/8	2
RW12M4	20687	12	3	1450	1 3/8	4
RW12M6	20689	12	3	1450	1 3/8	6
RW12HM2	20903	12	3	1300	1 1/2	2
RW12HM4	20905	12	3	1300	1 1/2	4
RW1235MB	20655	12	3 1/2	1300	1 3/4	BB
RW1235M2	20657	12	3 1/2	1300	1 3/4	2
RW1235M4	20659	12	3 1/2	1300	1 3/4	4
RW20M4	20763	20	3	1300	1 1/8	4



THE OPTIMAL BALANCE OF PELLET ENERGY AND PATTERN DENSITY

HYPERSONIC STEEL®

THE WORLD'S FASTEST, HARDEST-HITTING STEEL.

It's a simple fact. Most ducks are missed from behind. The good news? The unprecedented velocity of Remington HyperSonic Steel compensates by reducing the required lead by a full body length at 40 yards — on a duck flying at average speed. The end result: more pellets in the head and neck for quicker kills and fewer misses — all without changing the way you shoot. HyperSonic Steel. Taking lethality to deadlier new heights.



QUICKER KILLS. FEWER MISSES. 11% SHORTER LEADS. MORE HEAD & NECK HITS.

- **HIGH VELOCITY STEEL** *(1450 fps, 1 1/2 oz.) @ 40 yds*
- **HYPERSONIC STEEL** *(1700 fps, 1 1/2 oz.) @ 40 yds*

AT 1,700 FPS, HYPERSONIC STEEL GIVES YOU AN 8" LEAD ADVANTAGE AT 40 YARDS.

UNEQUALLED LETHALITY
Engineered to put more pellets in the head and neck

XELERATOR™ WAD TECHNOLOGY
Remington's proprietary wad helps deliver unprecedented velocity and holds patterns tighter downrange

HYPERSONIC STEEL

INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
HSS10C	26724	10	3 1/2	1500	1 1/2	BBB
HSS10B	26726	10	3 1/2	1500	1 1/2	BB
HSS102	26728	10	3 1/2	1500	1 1/2	2
HSS12B	26741	12	3	1700	1 1/8	BB
HSS122	26743	12	3	1700	1 1/8	2
HSS124	26745	12	3	1700	1 1/8	4
HSS12MB	26769	12	3	1700	1 1/4	BB
HSS12M1	26771	12	3	1700	1 1/4	1
HSS12M2	26775	12	3	1700	1 1/4	2
HSS12M3	26776	12	3	1700	1 1/4	3
HSS12M4	26777	12	3	1700	1 1/4	4
HSS1235B	26793	12	3 1/2	1700	1 3/8	BB
HSS12352	26795	12	3 1/2	1700	1 3/8	2
HSS12354	26799	12	3 1/2	1700	1 3/8	4
HSS20M2	26823	20	3	1600	7/8	2
HSS20M4	26825	20	3	1600	7/8	4

NITRO-STEEL®

MORE STEEL TO THE BIRDS. MORE BIRDS TO THE GROUND.

The steel serious waterfowlers depend on. Premier, zinc-plated, 100% round pellets fly straight, delivering true close to long-range pattern performance. Plus, Nitro-Steel is fully compatible with aftermarket ported and wad-stripping chokes. It's a proprietary blend of components that produces more dead birds than any other load, year after year.

Premier zinc-plated steel pellets, engineered for higher velocity, greater uniformity, straighter flight and tighter patterns.

NITRO-STEEL						
INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
NSI10M2	20853	10	3 1/2	1450	1 1/2	2
NS12HVS4	20803	12	2 3/4	1390	1 1/8	4
NS12SB	20650	12	2 3/4	1275	1 1/4	BB
NS12S2	20654	12	2 3/4	1275	1 1/4	2
NS12S4	20658	12	2 3/4	1275	1 1/4	4
NS12MB	20794	12	3	1450	1 1/4	BB
NS12M1	20796	12	3	1450	1 1/4	1
NS12M2	20798	12	3	1450	1 1/4	2
NS12M3	20800	12	3	1450	1 1/4	3
NS12M4	20802	12	3	1450	1 1/4	4
NS12HMT	20852	12	3	1300	1 3/8	T
NS12HMB	20856	12	3	1300	1 3/8	BB
NS12HM2	20860	12	3	1300	1 3/8	2
NS12HM4	20864	12	3	1300	1 3/8	4
	20837	12	3 1/2	1500	1 1/2	BB
NSI12352	20839	12	3 1/2	1500	1 1/2	2
NS16HV2	20941	16	2 3/4	1300	15/16	2
NS16HV4	20943	16	2 3/4	1300	15/16	4
NSI20M4	20769	20	3	1400	1	4

FULL PAYLOADS. FULL PATTERNS. FULL LIMITS.

Pattern from 20 gauge shotshell at ***25 yards***

Remington Nitro-Steel

Leading Competitor

Pattern from 20 gauge shotshell at ***40 yards***

Remington Nitro-Steel

Leading Competitor

SPORTSMAN® HI-SPEED® STEEL LOADS

HIGH VELOCITY, HIGH VALUE.

Economical waterfowl loads for every hunting situation, Sportsman Hi-Speed Steel also doubles as upland loads in lead-free zones and is priced for pre-season practice. With multiple shot sizes available, match your game of choice easily.

NITRO-STEEL						
INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
SSTHV10B	26605	10	3 1/2	1500	1 3/8	BB
SSTHV102	26607	10	3 1/2	1500	1 3/8	2
SST126	20005	12	2 3/4	1365	1	6
SST127	20007	12	2 3/4	1365	1	7
SST12S2	20934	12	2 3/4	1375	1 1/8	2
SST12S4	20936	12	2 3/4	1375	1 1/8	4
SSTHV12HB	20973	12	3	1550	1 1/8	BB
SSTHV12H2	20977	12	3	1550	1 1/8	2
SSTHV12H4	20981	12	3	1550	1 1/8	4
SSTHV12HMB	20987	12	3	1400	1 1/4	BB
SSTHV12HM1	20791	12	3	1400	1 1/4	1
SSTHV12HM2	20989	12	3	1400	1 1/4	2
SSTHV12HM3	20795	12	3	1400	1 1/4	3
SSTHV12HM4	20991	12	3	1400	1 1/4	4
SST12HMB	20900	12	3	1300	1 3/8	BB
SST12HM2	20904	12	3	1300	1 3/8	2
SSTHV1235B	20997	12	3 1/2	1550	1 3/8	BB
SSTHV12352	20999	12	3 1/2	1550	1 3/8	2
SST207	20009	20	2 3/4	1425	3/4	7
SST20M2	20879	20	3	1300	1	2
SST20M4	20881	20	3	1300	1	4

NOW AVAILABLE

PREMIER® TSS

Send more big ol' Toms to the ground with our Premier TSS Turkey Loads. New ultra-dense Tungsten Super Shot payloads deliver increased lethal range, denser patterns, and more knockdown power. A density of 18 g/cc makes a smaller shot size viable over what you'd choose in lead, with an energy and velocity increase to boot. Every load is tuned for the tightest, most consistent patterns possible. Get ready for the most deadly turkey season of your life.

PREMIER TSS

INDEX NO.	ORDER NO.	GAUGE/ BORE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
TSS1237	28043	12	3	1200	1 3/4	7
TSS1239	28045	12	3	1200	1 3/4	9
TSS2037	28063	20	3	1100	1 1/2	7
TSS2039	28065	20	3	1100	1 1/2	9
TSS41039	28069	410	3	1100	13/16	9

- **ULTRA HIGH-DENSITY TUNGSTEN SUPER SHOT**
  Flies farther, hits harder, and penetrates deeper
- **HIGHER ENERGY AND BETTER PATTERNS THAN LEAD**
  Provide a greater chance for success in the field
- **INCREASED PELLET COUNTS AND HITS IN THE KILL ZONE**
  Guarantees deadly performance that delivers results

STANDARD LEAD LOADS vs NEW REMINGTON TSS (at 40 yards)



12 ga / Lead #5

12 ga / TSS #9



20 ga / Lead #5

20 ga / TSS #7

NEW GAUGE

PREMIER® MAGNUM TURKEY

PREMIER MAGNUM TURKEY

PREMIER MAGNUM TURKEY HIGH VELOCITY

For avid turkey hunters, speed kills. Delivering hard-hitting power to bag any big tom, Premier Magnum Turkey and Premier Magnum Turkey High Velocity loads are loaded with our Power Piston wad and magnum-grade Copper-Lokt shot for dense patterns and deep penetration equaling more birds to the ground.

New this spring, Premier Magnum Turkey High Velocity now available in 20 gauge.

PREMIER MAGNUM COPPER PLATED

INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
P10HM4A	24395	10	3 1/2	1210	2 1/4	4
P12XHM4A	R26801	12	3	1175	2	4
P12XHM5A	26803	12	3	1175	2	5
P12XHM6A	26805	12	3	1175	2	6
P1235M4A	26833	12	3 1/2	1150	2 1/4	4
P20XHM6A	26859	20	3	1185	1 1/4	6

PREMIER MAGNUM TURKEY HIGH VELOCITY COPPER PLATED

INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
PHV12M4A	28029	12	3	1300	1 3/4	4
PHV12M5A	28031	12	3	1300	1 3/4	5
PHV1235M4A	28039	12	3 1/2	1300	2	4
PHV1235M5A	28041	12	3 1/2	1300	2	5
NEW PHV20M5A	20119	20	3	1300	1 1/8	5

NITRO TURKEY

NITRO TURKEY EXTENDED RANGE BUFFERED MAGNUMS

Extra-hard lead shot meets next-level patterning at a value price. With a super full choke, Nitro Turkey patterns at over 80% in the kill zone.

NITRO TURKEY

INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
NT12S5	26688	12	3	1210	2 3/4	5
NT12S4	26690	12	3	1210	2 3/4	4
NT12H4	26693	12	3	1210	3	4
NT12H5	26695	12	3 1/2	1300	3	5
NT12H6	26697	12	3 1/2	1300	3	6
NT12354	26710	12	3 1/2	1300	3 1/2	4
NT12355	26708	12	3 1/2	1300	3 1/2	5
NT12356	26712	12	3	1300	3 1/2	6
NT20MS	R26730	20	3 1/2	1185	3	5

NITRO PHEASANT						
INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
NP124	28620	12	2 3/4	1400	1 1/4	4
NP125	28622	12	2 3/4	1400	1 1/4	5
NP126	28624	12	2 3/4	1400	1 1/4	6
NP12M4	28632	12	2 3/4	1300	1 3/8	4
NP12M5	28634	12	2 3/4	1300	1 3/8	5
NP12M6	28636	12	2 3/4	1300	1 3/8	6
NP205	28646	20	2 3/4	1300	1	5
NP206	28648	20	2 3/4	1300	1	6
NP20M5	28651	20	3	1185	1 1/4	5
NP20M6	28653	20	3	1185	1 1/4	6

NITRO PHEASANT®

For pattern, energy and performance, nobody beats Nitro Pheasant. It uses the Remington Copper–Lokt copper-plated lead shot with high antimony content — the hardest lead we make for hunting. Hard shot stays rounder for truer flight, tighter patterns and greater penetration. So when it comes to bringing down tough birds like pheasant, you need a load that delivers maximum pattern density and lethal energy—you need Nitro Pheasant. Available in both high velocity and magnum loads in 12- and 20-gauge.

EXPRESS® XLR EXTRA LONG RANGE

Simply, the best-balanced, tightest-patterning upland field loads available. Decades of hunters have come to know and trust Express XLR to knock down the biggest upland game around. The time-proven excellence of the Express XLR (Extra Long Range) line with eight loadings — 12-gauge to 410 bore — and shot sizes ranging from #2 all the way down to #7½, for everything from pheasant and quail to rabbits and squirrels.

EXPRESS XLR EXTRA LONG RANGE						
INDEX NO.	ORDER NO.	GAUGE/ BORE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
SP122	20143	12	2 3/4	1330	1 1/4	2
SP124	20145	12	2 3/4	1330	1 1/4	4
SP125	20147	12	2 3/4	1330	1 1/4	5
SP126	20149	12	2 3/4	1330	1 1/4	6
SP1275	20151	12	2 3/4	1330	1 1/4	7 1/2
NEHV125	20167	12	2 3/4	1450	1 1/8	5
NEHV126	20168	12	2 3/4	1450	1 1/8	6
NEHV1275	20169	12	2 3/4	1450	1 1/8	7 1/2
SP164	28003	16	2 3/4	1295	1 1/8	4
SP166	28007	16	2 3/4	1295	1 1/8	6
SP1675	28009	16	2 3/4	1295	1 1/8	7 1/2
SP204	20333	20	2 3/4	1220	1	4
SP205	20335	20	2 3/4	1220	1	5
SP206	20337	20	2 3/4	1220	1	6
SP2075	20339	20	2 3/4	1220	1	7 1/2
NEHV206	20181	20	2 3/4	1350	7/8	6
NEHV2075	20183	20	2 3/4	1350	7/8	7 1/2
SP286	28047	28	2 3/4	1295	3/4	6
SP2875	28049	28	2 3/4	1295	3/4	7 1/2
SP4104	20743	410	2 1/2	1250	1/2	4
SP4106	20745	410	2 1/2	1250	1/2	6
SP41075	20747	410	2 1/2	1250	1/2	7 1/2
SP4134	20771	410	3	1135	11/16	4
SP4136	20775	410	3	1135	11/16	6
SP41375	20777	410	3	1135	11/16	7 1/2

PHEASANT LOADS

The high velocity and long-range performance of Remington Pheasant Loads are just right for any pheasant hunting situation. Standard high-brass payloads include 12-, 16-, and 20-gauge.

PHEASANT LOADS						
INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
PL124	20046	12	2 3/4	1330	1 1/4	4
PL125	20024	12	2 3/4	1330	1 1/4	5
PL126	20048	12	2 3/4	1330	1 1/4	6
PL127	20050	12	2 3/4	1330	1 1/4	7 1/2
PL166	20054	16	2 3/4	1295	1 1/8	6
PL204	20058	20	2 3/4	1220	1	4
PL205	20018	20	2 3/4	1220	1	5
PL206	20060	20	2 3/4	1220	1	6

NITRO MAGNUM® EXTENDED RANGE BUFFERED

Equally excellent for bagging upland feathers and fur. Heavy payloads of magnum-grade shot are packed with polymer buffering and enclosed in our Power Piston® one-piece wad to provide dense, even patterns and uniform shot strings.

NITRO MAGNUM EXTENDED RANGE BUFFERED						
INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
NM12S2	26676	12	2 3/4	1260	1 1/2	2
NM12S4	26678	12	2 3/4	1260	1 1/2	4
NM124	26674	12	3	1280	1 5/8	4
NM126	20376	12	3	1280	1 5/8	6
NM12H2	26682	12	3	1210	1 7/8	2
NM12H4	26684	12	3	1210	1 7/8	4
NM12H6	26685	12	3	1210	1 7/8	6
NM20S4	20664	20	2 3/4	1175	1 1/8	4
NM20S6	20666	20	2 3/4	1175	1 1/8	6
NM20H4	20672	20	3	1185	1 1/4	4
NM20H6	20674	20	3	1185	1 1/4	6

GAME LOADS

Budget-stretching shotshells for a wide variety of hunting. Available in 12-, 16-, 20-gauge and 410 bore.

GAME LOADS						
INDEX NO.	ORDER NO.	GAUGE/ BORE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
GL126	20028	12	2 3/4	1290	1	6
GL127	20030	12	2 3/4	1290	1	7 1/2
GL128	20032	12	2 3/4	1290	1	8
GL166	20034	16	2 3/4	1200	1	6
GL167	20036	16	2 3/4	1200	1	7 1/2
GL168	20038	16	2 3/4	1200	1	8
GL206	20040	20	2 3/4	1225	7/8	6
GL207	20042	20	2 3/4	1225	7/8	7 1/2
GL208	20044	20	2 3/4	1225	7/8	8
GL4106	20014	410	2 1/2	1200	1/2	6

HEAVY DOVE LOADS

The hunter's choice for doves and a wide variety of game-bird applications. Available in 12- and 20-gauge with shot sizes of 7½ and 8.

HEAVY DOVE LOADS						
INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
RHD1275	28755	12	2 3/4	1255	1 1/8	7 1/2
RHD128	28757	12	2 3/4	1255	1 1/8	8
RHD2075	28777	20	2 3/4	1165	1	7 1/2
RHD208	28779	20	2 3/4	1165	1	8

ULTIMATE DEFENSE™ BUCKSHOT

These rounds deliver dense, devastating patterns and massive knockdown power when the stakes are at their highest. Short-range patterns in smoothbore barrels are tight and effective for one-shot confidence. Full power 12-gauge, and Managed-Recoil 12- and 20-gauge loads complete this line by offering buckshot products well suited to anyone's desire for maximizing their shotgun's effectiveness against an imminent threat. Our .410 load packs four lead 000 buckshot pellets to maximize effectiveness of the .45/.410 revolvers.

ULTIMATE DEFENSE BUCKSHOT

INDEX NO.	ORDER NO.	GAUGE/ BORE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
12B009HD	20713	12	2 3/4	1325	9 pel	00
12B008RRHD	20711	12	2 3/4	1200	8 pel	00
12HB00HD	20633	12	3	1225	15 pel	00
12HB4HD	20639	12	3	1225	41 pel	4
12BRR4HD	20637	12	2 3/4	1200	21 pel	4
20BRR3HD	20681	20	2 3/4	1140	17 pel	3
410B000HD	20697	410	2 1/2	1225	4 pel	000
413B000HD	20707	410	3	1125	5 pel	000

BUCKSHOT VALUE PACKS

Available in a 25-round box or 100-round sleeve (4 individual boxes), it's simply the best value in buckshot for home defense, tactical shooting or predator hunting. High value pack is loaded with Remington Express 00 Buckshot, chosen time and again for its tight, consistent patterns. For more confidence per box, choose Remington.

BUCKSHOT VALUE PACKS

DESCRIPTION	INDEX NO.	ORDER NO.	GAUGE/ BORE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
25 Round Box	12B00A	20411	12	2 3/4	1325	9 pel	00
100 Round Box	12B00B	20413	12	2 3/4	1325	9 pel	00

EXPRESS MAGNUM & EXPRESS BUCKSHOT

One of the great values in shotgun deer loads. A combination of heavy cushioning behind the shot column and a granulated polymer buffering helps maintain pellet roundness for tight, even patterns.

EXPRESS MAGNUM BUCKSHOT

INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
12SB00	20632	12	2 3/4	1290	12 pel	00
12HB000	20408	12	3	1225	10 pel	000
12HB00	20636	12	3	1225	15 pel	00
12HB4	20640	12	3	1225	41 pel	4
1235B00	20280	12	3 1/2	1125	18 pel	00

EXPRESS BUCKSHOT

INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
12B000	20406	12	2 3/4	1325	8 pel	000
12B00	20620	12	2 3/4	1325	9 pel	00
12B0	20622	12	2 3/4	1275	12 pel	0
12B1	20624	12	2 3/4	1250	16 pel	1
12B4	20626	12	2 3/4	1325	27 pel	4
20B3	20630	20	2 3/4	1220	20 pel	3

PREMIER® ACCUTIP SABOT SLUG

PUNCHES HUGE HOLES WITH PINPOINT ACCURACY.

It's flattening whitetails and competitors in the tipped-slug market with devastating ferocity. A true masterpiece of aerodynamics delivering tremendous knockdown force to the farthest reaches of rifled shotgun range. Spiral nose cuts and high-strength cartridge-brass jacket come together to create large, perfect mushrooms with over 95 percent weight retention from 5 to 200 yards. Available in 2 3/4" or 3" 12-gauge and 20-gauge.



1,900 FPS FLAT-OUT CRUSHES BIG GAME.

- **POWER PORT TIP DELIVERS DRAMATICALLY SUPERIOR ACCURACY**
- **SPIRAL NOSE CUTS CONTROL EXPANSION AT ALL RANGES**
  12-gauge: *5-200 yards* / **20-gauge:** *5-150 yards*
- **HIGH WEIGHT RETENTION AT ALL DISTANCES**
  98% @ 100 yards for 12-gauge and 20-gauge
- **SLUG JACKET MADE FROM HIGH-STRENGTH CARTRIDGE BRASS**
- **DESIGNED FOR USE IN FULLY RIFLED BARRELS ONLY**

PREMIER ACCUTIP SABOT SLUG

INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	SLUG (GR.)	VELOCITY (FPS) MUZ.	50 YD.	100 YD.	ENERGY (FT-LB) MUZ.	50 YD.	100 YD.	TRAJECTORY (IN.) 50 YD.	100 YD.	150 YD.
PRA12	20727	12	2 3/4	385	1850	1611	1401	2925	2218	1677	2.7	3.6	0.0*
PRA12M	20731	12	3	385	1900	1656	1439	3086	2344	1771	2.5	3.4	0.0*
PRA20	20496	20	2 3/4	260	1850	1610	1399	1976	1496	1130	2.7	3.6	0.0*
PRA20M	20498	20	3	260	1900	1655	1438	2084	1581	1193	2.5	3.4	0.0*

** 0.0 indicates yardage at which shotgun was sighted in.*

SLUGGER HIGH VELOCITY RIFLED SLUG

This higher velocity slug exits the barrel at 1800 fps, 13% faster than standard 1-oz. slugs. The 7/8-oz. Slugger High Velocity delivers more energy at 50 yards with flatter trajectory on deer than standard 1-oz. slugs. Produced in most popular slug loadings—2 13/16" and 3" 12-gauge and 2 13/16" 20-gauge. Designed for the avid deer hunter using smooth bore guns.

SLUGGER HIGH VELOCITY RIFLED SLUG

INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	SLUG (OZ.)	VELOCITY (FPS) MUZ.	50 YDS.	100 YDS.	ENERGY (FT-LB) MUZ.	50 YDS.	100 YDS.	TRAJECTORY (IN.) 50 YDS.	100 YDS.	150 YDS.
SPHV12RS	28600	12	2 3/4	7/8	1800	1252	978	2751	1517	813	0.0*	-4.1	–
SPHV12MRS	28604	12	3	7/8	1875	1302	998	2989	1442	847	0.0*	-3.7	–
SPHV20RS	28608	20	2 3/4	1/2	1800	1541	1321	1574	1154	847	0.0*	-2.2	--

** 0.0 indicates yardage at which shotgun was sighted in.*

MANAGED-RECOIL SLUGGER RIFLED SLUG

Devastating performance, but with 45% less felt recoil than full velocity Sluggers. Less recoil makes sighting-in more comfortable, while the accuracy and speed of second shots is greatly improved. And with effective energy out to 80 yards, it handles the majority of shotgun deer hunting ranges.

MANAGED-RECOIL SLUGGER RIFLED SLUG

INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	SLUG (OZ.)	VELOCITY (FPS) MUZ.	50 YDS.	100 YDS.	ENERGY (FT-LB) MUZ.	50 YDS.	100 YDS.	TRAJECTORY (IN.) 50 YDS.	100 YDS.	150 YDS.
RL12RS	20290	12	2 3/4	1	1200	988	873	1397	948	739	0.0*	-7.4	–

** 0.0 indicates yardage at which shotgun was sighted in.*

SLUGGER RIFLED SLUG

Our most popular, accurate, hard-hitting slug. Slightly oversized for great smooth-bore shotgun performance, resulting in better sealing against the barrel wall for greater accuracy.

SLUGGER RIFLED SLUG

INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	SLUG (OZ.)	VELOCITY (FPS) MUZ.	50 YDS.	100 YDS.	ENERGY (FT-LB) MUZ.	50 YDS.	100 YDS.	TRAJECTORY (IN.) 50 YDS.	100 YDS.	150 YDS.
SP12RS	20300	12	2 3/4	1	1560	1203	1004	2361	1403	976	0.0*	-4.5	--
S12SRS	20302	12	2 3/4	1	1680	1285	1045	2378	1605	1059	0.0*	-3.8	--
S12MRS	20270	12	3	1	1760	1345	1075	3005	1753	1121	0.0*	-3.4	--
SP16RS	20614	16	2 3/4	4/5	1600	1175	965	1989	1072	724	0.0*	-4.8	–
SP20RS	20616	20	2 3/4	7/8	1580	1240	1034	1513	931	648	0.0*	-4.2	–
SP41RS	20618	410	2 1/2	1/5	1830	1335	1040	654	348	211	0.0*	-3.5	–

** 0.0 indicates yardage at which shotgun was sighted in.*

NEW LOW RECOIL

PREMIER® STS®

Shoot to win with a world-class combination of shot-to-shot consistency and reloadability. The choice of champions at major skeet, trap, and sporting clays shoots across the country, Premier STS Target Loads are the benchmark for target-crushing performance and a favorite at the reloading bench. But don't take our word for it, ask the long list of Remington champions winning with Premier STS. Get ready to crush clays and the competition.

PREMIER STS

INDEX NO.	ORDER NO.	GAUGE/ BORE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
STS1218	20155	12	2 3/4	1185	1	8
STS12L7	20110	12	2 3/4	1145	1 1/8	7 1/2
STS12L8	20112	12	2 3/4	1145	1 1/8	8
STS12L85	20114	12	2 3/4	1145	1 1/8	8 1/2
STS12L9	20116	12	2 3/4	1145	1 1/8	9
STS12LH7	20250	12	2 3/4	1200	1 1/8	7 1/2
STS12LH8	20252	12	2 3/4	1200	1 1/8	8
NEW STS12LR7	20240	12	2 3/4	1100	1 1/8	7 1/2
NEW STS12LR8	20242	12	2 3/4	1100	1 1/8	8
STS20SC8	28059	20	2 3/4	1200	7/8	8
STS209	20217	20	2 3/4	1200	7/8	9
STS28SC8	28057	28	2 3/4	1200	3/4	8
STS289	28053	28	2 3/4	1200	3/4	9
STS4109	20750	410	2 1/2	1275	1/2	9

▲ **LOADED TO PERFORM**
STS shotgun shells are loaded with Premier shot, primers, powders, and wads.

▲ **A SHELL FOR EVERY SHOT**
Available in target, light target, light handicap and low recoil loads.

▲ **RELOAD AND RELOAD AGAIN**
High-grade plastic hulls and brass bases allow you to reload these shells many times over.

▲ **NEW PREMIER STS LOW RECOIL**
STS is now available in select low recoil loads. Go harder on clays and easier on your shoulder.

SHOT
Made in Remington's Shot Tower. High antimony hard lead shot precision graded to insure perfectly round pellets with incredible uniformity for tight patterns

PREMIER STS BODY
New High Tensile polyethylene hull reloads longer, while providing an extra smooth finish for positive feeding in competition guns



CRIMP
Improved design facilities wad insertion and reduces the forces required for final crimp — a real plus in high output progressive reloading

WAD
Remington Figure 8™ Wad is engineered to compress evenly on ignition to cushion and protect the shot. Extra deep over-powder cup positively seals gases for consistent velocity — even in overbored guns

BASE HEAD
Brass for easy resizing and long life

TEAM BIG GREEN

Remington's rich history of victory lives on with Team Big Green's roster of professional trap, skeet and sporting clays athletes. From the Grand American to the National Sporting Clays Championships, stay in touch with the team and be the first to hear when Team Remington takes the podium spring, summer and fall via www.remington.com.

Team Remington competes with Premier STS, Nitro 27 and Nitro Sporting Clays loads. A winning combination of shot-to-shot consistency and reloadability, Remington Premier shotshells are the choice of champions at major skeet, trap, and sporting clays shoots across the country.

NEW 20GA AND 28GA

PREMIER® NITRO SPORTING CLAYS

COMPETITION. WE USE THE TERM LIGHTLY.

Smoke targets and conquer the competition with Premier Nitro Sporting Clays — the finest sporting clay loads in the world today. The shell's extra velocity gives you an added advantage for those long crossers — making target leads shorter for ultimate clay-crushing satisfaction. The unique Remington Premier gold hull has earned a reputation as one of the most "reloader friendly" designs ever to hit the clay target-shooting world. This shotshell also makes a great high-velocity dove load.

PREMIER NITRO SPORTING CLAYS

INDEX NO.	ORDER NO.	GAUGE/ BORE	LENGTH (IN.)	VELOCITY	OUNCES OF SHOT	SHOT SIZE
STS12NSC17	28850	12	2 3/4	1350	1	7 1/2
STS12NSC7	20264	12	2 3/4	1300	1 1/8	7 1/2
STS12NSC8	20266	12	2 3/4	1300	1 1/8	8
NEW STS20NSC7	28860	20	2 3/4	1360	7/8	7 1/2
NEW STS28NSC7	28868	28	2 3/4	1300	3/4	7 1/2
STS410NSC8	28879	410	2 1/2	1300	1/2	8



PREMIER® NITRO 27 HANDICAP LOADS

ENGINEERED FOR THOSE WHO LIKE TO WIN.

Designed specifically for back-fence trap and long-range sporting clays, Premier Nitro 27 Target Loads deliver consistent handicap velocity and pattern uniformity shot after shot. Our Premier body and Power Piston® Wad reduces felt recoil while retaining high velocity and world-class performance, allowing avid trap shooters to stay fresh for the shoot-off. What's more, Premier Nitro 27 scores just as high on fast-moving doves and boasts long-range effectiveness that's backed by a long list of Remington trapshooting champions.

PREMIER NITRO 27 HANDICAP TRAP LOADS

INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	VELOCITY	OUNCES OF SHOT	SHOT SIZE
STS12NH17	20227	12	2 3/4	1290	1	7 1/2
STS12NH7	20222	12	2 3/4	1235	1 1/8	7 1/2
STS12NH8	20224	12	2 3/4	1235	1 1/8	8

AMERICAN CLAY & FIELD™

THE CUTTING EDGE OF BIRD & CLAY-CRUSHING CONSISTENCY.

Nothing that flies stands a chance against these dual-purpose rounds. Featuring a premier STS® primer, reloadable hull, our Power Piston® wad and high-hardness lead shot, they deliver flawless performance and consistent patterning, whether your target is winged or clay.

AMERICAN CLAY & FIELD

INDEX NO.	ORDER NO.	GAUGE/ BORE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
HT1275	20344	12	2 3/4	1200	1 1/8	7 1/2
HT128	20346	12	2 3/4	1200	1 1/8	8
HT129	20348	12	2 3/4	1200	1 1/8	9
HT12L8	20356	12	2 3/4	1200	1	8
HT12L9	20358	12	2 3/4	1200	1	9
HT2075	20377	20	2 3/4	1200	7/8	7 1/2
HT208	20379	20	2 3/4	1200	7/8	8
HT209	20381	20	2 3/4	1200	7/8	9
HT288	20492	28	2 3/4	1250	3/4	8
HT289	20494	28	2 3/4	1250	3/4	9
HT4108	20497	410	2 1/2	1275	1/2	8
HT4109	20499	410	2 1/2	1275	1/2	9

GUN CLUB® TARGET LOADS

NEW LOW RECOIL

HIGH QUALITY. LOW COST.

Spend less and shoot more. Remington Gun Club Target Loads are an excellent choice for a budget-savvy shooter and the highest quality budget shotshells on the market. Featuring Gun Club Grade Shot, Premier® STS Primers, and Power Piston One-Piece Wads, these high-quality shells receive the same care in loading as our top-of-the-line Premier STS and Nitro 27 shells. Available in most gauges including new low recoil loads, this shell is guaranteed to give you more bang for your buck.

- **QUALITY MEETS AFFORDABILITY**
  Gun Club are the most consistent and reliable shells for a whole lot less
- **LOADED TO PERFORM**
  Loaded with Gun Club Grade Shot, Premier STS Primers and Power Piston One-Piece Wads
- **HANDLOADER APPROVED**
  Provides handloaders with unequaled reloading ease and hull longevity

GUN CLUB TARGET LOADS

INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
GC1218	20081	12	2 3/4	1185	1	8
GC12L7	20244	12	2 3/4	1145	1 1/8	7 1/2
GC12L8	20230	12	2 3/4	1145	1 1/8	8
GC12L9	20248	12	2 3/4	1145	1 1/8	9
GC127	20232	12	2 3/4	1200	1 1/8	7 1/2
GC128	20234	12	2 3/4	1200	1 1/8	8
NEW GC12LR8	20241	12	2 3/4	1150	1	8
NEW GC12LR8A	20243	12	2 3/4	1100	1 1/8	8
GC207	20239	20	2 3/4	1200	7/8	7 1/2
GC208	20235	20	2 3/4	1200	7/8	8
GC209	20236	20	2 3/4	1200	7/8	9

NEW

PETERS® PREMIER® BLUE PAPER SHOTSHELLS

RETRO PAPER. MODERN PERFORMANCE.

Peters Blue is Back with new, yet traditional, paper hull shotshells. Tuned for the modern trap, skeet and sporting clay shooter, the paper hulls reduce felt recoil for a more enjoyable day at the range. Peters Paper packs the same powerful components found in other Peters and Remington Premier loads. Enjoy the sweet smell of paper…and victory.

PETERS PREMIER BLUE PAPER

INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
PPT12175	28758	12	2 3/4	1290	1	7 1/2
PPT12L75	28745	12	2 3/4	1145	1 1/8	7 1/2
PPT12L8	28746	12	2 3/4	1145	1 1/8	8
PPT12H75	R28749	12	2 3/4	1200	1 1/8	7 1/2
PPT12H8	28751	12	2 3/4	1200	1 1/8	8

1. **PREMIER LEAD SHOT**
   High antimony lead shot screened to produce uniform performance and clay busting accuracy
2. **PETERS PAPER HULL**
   Shoot longer with less felt recoil. The sweet smell of victory
3. **COMPETITION WAD**
   Retro look, modern performance. Produces tight patterns downrange
4. **PRIMER/PROPELLANT**
   Carefully selected and paired to produce even ignition and consistent velocity
5. **ALL BRASS HEAD**
   For the utmost in reliability and reloadability

ONLINE EXCLUSIVE

Now available, buy Peters Paper and ship directly to your doorstep when you shop on remington.com.

HANDGUN

GOLDEN SABER BONDED 61
GOLDEN SABER DEFENSE 63
HTP / RANGE CLEAN 65
SUBSONIC / PERFORMANCE WHEELGUN 67
UMC HANDGUN 69

GOLDEN SABER® BONDED

All the revolutionary features that make Golden Saber rounds the leading edge in defensive handgun rounds, along with the unmatched barrier-penetration performance of our special bonded-bullet design. Through an exclusive Remington process, the lead core is hot-bonded to the brass jacket. Exceptional weight retention—up to 97% through auto glass. Reduced bullet nose diameter for precise bore alignment and match-grade accuracy. Requires less energy to initiate expansion. Jacket stiffness and wall thickness optimized to eliminate over-expansion, thus maximizing penetration. Available in 357 Sig, 9mm Luger, 40 S&W and 45 Auto. Made in the USA.

GOLDEN SABER BONDED HANDGUN

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
9mm Luger	GSB9MMDB	29341	124	Brass Jacketed Hollow Point Bonded
9mm Luger	GSB9MMCB	29343	147	Brass Jacketed Hollow Point Bonded
357 Sig	GSB357SBB	29407	125	Brass Jacketed Hollow Point Bonded
40 S&W	GSB40SWAB	29363	165	Brass Jacketed Hollow Point Bonded
40 S&W	GSB40SWBB	29365	180	Brass Jacketed Hollow Point Bonded
45 Auto	GSB45APAB	29325	185	Brass Jacketed Hollow Point Bonded
45 Auto	GSB45APBB	29327	230	Brass Jacketed Hollow Point Bonded

For more information on ballistics, see pages 93-98.



Even after smashing through safety glass, the 45-caliber Golden Saber Bonded delivers a large-volume stretch cavity over 12″ deep through a block of gelatin.

PUNCHES THROUGH BARRIERS AND DELIVERS SUPERIOR TERMINAL PERFORMANCE BEYOND.

Below is a sequence of high-speed photographs showing the superior performance of Golden Saber Bonded through auto glass.

FRAME 1: *230-gr., 45 caliber Golden Saber Bonded bullet impacts typical windshield glass.*

FRAMES 2-4: *Bullet passes through windshield.*

FRAME 5: *Emerges from the glass intact. Jacket and core held together through ASI ¼-inch laminated safety glass.*

NEW

GOLDEN SABER® DEFENSE

Based on the same platform trusted by law enforcement professionals to protect the American way of life, now available for personal defense. Loaded with our high-performance Golden Saber Brass Jacketed Hollow Point (BJHP), these rounds deliver massive expansion and deep penetration for ultimate stopping power. Premier nickel-plated cases resist corrosion and cycle dependably after extended storage. Available in loadings maximized for full size as well as compact pistols and revolvers, as well as in the most popular calibers.

Golden Saber Defense Compact is designed with the concealed carry permit holder in mind to deliver big gun terminal performance out of shorter-barreled pistols and revolvers. This round has been engineered to provide optimal penetration and expansion even through heavy clothing at lower velocities for maximum stopping power. It's all of our premier features now finely tuned for your most important handgun.

BUILT TO DEFEND WHEN IT MATTERS MOST.

- **EXCLUSIVE BRASS JACKET**
  Its precision nose cuts control expansion and optimizes energy transfer
- **CASE MOUTH AND PRIMER WATERPROOFING**
  For maximum reliability
- **NICKEL-PLATED CASES**
  To reduce oxidation and improve feeding and extraction
- **SPECIALLY TREATED POWDERS**
  To suppress muzzle flash

GOLDEN SABER DEFENSE FULL SIZE

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
380 Auto	GSD380BN	27605	102	BJHP
38 Special +P ‡	GSD38SBN	27606	125	BJHP
9mm Luger	GSD9MMBN	27601	124	BJHP
9mm Luger	GSD9MMC	27604	147	BJHP
9mm Luger +P	GSD9MMD	27603	124	BJHP
357 Magnum	GSD357MA	27600	125	BJHP
40 S&W	GSD40SWA	27607	165	BJHP
40 S&W	GSD40SWBN	27608	180	BJHP
45 Auto	GSD45APA	27609	185	BJHP
45 Auto	GSD45APBN	27612	230	BJHP
45 Auto +P	GSD45APC	27611	185	BJHP

GOLDEN SABER DEFENSE COMPACT

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
380 Auto	GSC380BN	27615	102	BJHP
38 Special+P ‡	GSC38SBN	27617	125	BJHP
9mm Luger	GSC9MMBN	27613	124	BJHP
40 S&W	GSC40SWBN	27618	180	BJHP
45 Auto	GSC45APBN	27619	230	BJHP

KEY: BJHP = Brass Jacketed Hollow Point

‡Ammunition with "+P" on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the manufacturer. For more information on ballistics, see pages 93-98.

NEW CARTRIDGE

HTP®
HIGH TERMINAL PERFORMANCE

MORE VARIETY. MORE DEADLY.



Equally as good for personal defense and bringing down big game, Remington High Terminal Performance packs ample punch to deliver instant stopping power when you need it most. Manufactured with premier primers, brass cases and propellants, HTP is available in all major defense calibers, in standard and many +P loadings. Because when you've got a job to do, we've got the load to help you get it done. Now available in new 30 Super Carry.

HIGH TERMINAL PERFORMANCE (HTP)

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
9mm Luger	RTP9MM1A	28288	115	Jacketed Hollow Point
9mm Luger +P	RTP9MM6A	28293	115	Jacketed Hollow Point
9mm Luger	RTP9MM8A	28295	147	Jacketed Hollow Point
357 Mag	RTP357M7A	22237	110	Semi-Jacketed Hollow Point
357 Mag	RTP357M1A	22227	125	Semi-Jacketed Hollow Point
357 Mag	RTP357M2A	22231	158	Semi-Jacketed Hollow Point
357 Mag	RTP357M3A	22233	158	Soft Point
357 Mag	RTP357M10A	22239	180	Semi-Jacketed Hollow Point
38 Spl	RTP38S16A	22293	110	Semi-Jacketed Hollow Point
38 Spl +P	RTP38S10A	22295	110	Semi-Jacketed Hollow Point
38 Spl +P	RTP38S21A	22303	125	Semi-Jacketed Hollow Point
38 Spl +P	RTP38S12A	22297	158	Lead Hollow Point
380 Auto	RTP380A1A	22248	88	Jacketed Hollow Point
41 Rem Mag	RTP41MG1A	23000	210	Jacketed Soft Point
44 Rem Mag	RTP44MG2A	23002	240	Jacketed Hollow Point
44 Rem Mag	RTP44MG3A	23010	240	Semi-Jacketed Hollow Point
40 S&W	RTP40SW1A	22306	155	Jacketed Hollow Point
40 S&W	RTP40SW2A	22308	180	Jacketed Hollow Point
45 Auto	RTP45AP2A	21453	185	Jacketed Hollow Point
45 Auto	RTP45AP7A	21455	230	Jacketed Hollow Point
45 Colt	RTP45C1A	23012	230	Jacketed Hollow Point
NEW 30 Super Carry	RTP30C	R20019	100	Jacketed Hollow Point

For more information on ballistics, see pages 93-98.

NEW

REMINGTON RANGE™ CLEAN

CLEAN SHOOTING CONFIDENCE.

From lead-free primers, to specially designed bullets, economical Remington Range Clean cartridges virtually eliminate lead exposure at the firing line. A must-have for shooters who frequent indoor ranges, it's jacketed bullet's enclosed base prevents lead exposure upon firing. Standard bullet weights duplicate the ballistics of conventional loads.

REMINGTON RANGE CLEAN

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
380 Auto	RC380AP2	27683	95	FNEB
9mm Luger	RC9MM11	27681	115	FNEB
40 S&W	RC40SW5	27685	180	FNEB
45 Auto	RC45AP8	27687	230	FNEB

KEY: FNEB = Flat Nose Enclosed Base

For more information on ballistics, see pages 93-98.

REMINGTON SUBSONIC HANDGUN

AMMUNITION FOR THE SILENT REVOLUTION.

Remington SubSonic Handgun ammunition is specifically designed for shooting in suppressed pistols. Engineered for maximum performance at subsonic velocities and — after a long session at the range — easier cleaning thanks to enclosed base bullets that virtually eliminate leading in suppressor ports.

REMINGTON SUBSONIC HANDGUN

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
9mm Luger	S9MM9	28435	147	Flat Nose Enclosed Base
45 Auto	S45AP4	28428	230	Flat Nose Enclosed Base

For more information on ballistics, see pages 93-98.

PERFORMANCE WHEELGUN™

REVOLVER & LEVERGUN FAVORITES LOADED WITH EVERY MODERN BALLISTIC ADVANTAGE.

Introducing ultimate consistency, accuracy and ironclad reliability, engineered to take your revolver and lever-action rifle skills to new heights. Performance WheelGun ammunition is precision crafted using premium components and Remington Kleanbore® primers, and is available in traditional revolver and lever-action bullet styles.

PERFORMANCE WHEELGUN

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
32 S&W	RPW32SW	22206	88	Lead Round Nose
32 S&W Long	RPW32SWL	22210	98	Lead Round Nose
357 Magnum	RPW357M5	22223	158	Lead Semi Wad Cutter
38 S&W	RPW38SW	22278	146	Lead Round Nose
38 Special	RPW38S3	22267	148	Target-Master Wad Cutter
38 Special	RPW38S6	22271	158	Lead Semi Wad Cutter
38 Special	RPW38S5	22281	158	Lead Round Nose
38 Short Colt	RPW38SC	22273	125	Lead Round Nose
44 S&W Special	RPW44SW	22333	246	Lead Round Nose
45 Colt	RPW45C1	22338	225	Lead Semi Wad Cutter
45 Colt	RPW45C	22340	250	Lead Round Nose

For more information on ballistics, see pages 93-98.

REMINGTON UMC

REMINGTON UMC

THE NAME AMERICA TRUSTS

For over 150 years, the Union Metallic Cartridge Company name has been synonymous with innovative, high-quality ammunition. UMC has become a fixture in the shooting ranges and hunting grounds of America by delivering the best in shot-to-shot consistency and the latest technology at the right price. Simply put, no one delivers a better product more efficiently, and the results are proof—from point of purchase to point of impact.

NEW CARTRIDGES

UMC® HANDGUN CARTRIDGES

All UMC ammunition is made in Lonoke, Arkansas, using first-quality, factory-fresh brass and clean-shooting Kleanbore® primers to provide the best value for high volume shooters. Now available in new 30 Super Carry and 327 Federal Magnum.

UMC® HANDGUN AMMUNITION ALSO AVAILABLE IN BUCKETS.

UMC HANDGUN CARTRIDGES (RANGE BUCKETS)

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
380 Auto	L380APBCA	R23978	95	FMJ
38 Special	L38S11BC	23669	130	FMJ
9mm Luger	L9MM3BC	23635	115	FMJ
40 S & W	L40SW3BC	23976	180	FMJ
45 Auto	L45AP4BC	23817	230	FMJ

UMC HANDGUN CARTRIDGES

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
25 Auto (6.35mm)	L25AP	23716	50	FMJ
32 Auto	L32AP	23704	71	FMJ
357 Magnum	L357M12	23738	125	JSP
357 Sig.	L357S1	23734	125	FMJ
38 Super Auto +P	L38SUP	23722	130	FMJ
38 Special +P	L38S2	23754	125	SJHP
38 Special	L38S5	23724	158	LRN
38 Special	L38S11	23730	130	FMJ
380 Auto	L380AP	23720	95	FMJ
9mm Luger	L9MM1	23752	115	JHP
9mm Luger	L9MM2	23718	124	FMJ
9mm Luger	L9MM3	23728	115	FMJ
9mm Luger	L9MM9	23732	147	FMJ
10mm Auto	L10MM6	23706	180	FMJ
40 S&W	L40SW2	23694	180	JHP
40 S&W	L40SW3	23742	180	FMJ
40 S&W	L40SW4	23746	165	FMJ
44 Remington Magnum	L44MG7	23744	180	JSP
45 Auto	L45AP1	23818	185	FMJ
45 Auto	L45AP4	23726	230	FMJ
45 Auto	L45AP7	23696	230	JHP
NEW 30 Super Carry	L30SC	R20015	100	FMJ
NEW 327 Federal Magnum	L327	R20016	100	JHP

KEY: JSP = Jacketed Soft Point SJHP = Semi-Jacketed Hollow Point
FMJ = Full Metal Jacket LRN = Lead Round Nose

‡Ammunition with "+P" on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the manufacturer. For more information on ballistics, see pages 93-98.

RIMFIRE

RIMFIRE

PEAK PERFORMANCE IN EVERY BOX.

We're proud to offer one of the broadest selections of high-performance rimfire ammunition available today, and even prouder of the fact we continue to set the standard for accuracy and dependability industry-wide. To achieve this, every round is produced with the same tight tolerances and high level of care you've known and come to expect from Remington. From tin cans to small game to serious competitive pursuits, count on Remington to keep your rimfire dead-center.

SUBSONIC

SUBSONIC – 22 LONG RIFLE LOW VELOCITY

Remington Subsonic delivers superior stealth and consistency below the sound barrier. Its tack-driving rimfire performance was manufactured with tight velocity control to eliminate supersonic cracks. Driving a copper-plated, hollow-point bullet optimized for reduced lead buildup in suppressor ports and maximum effectiveness at lower velocity.

LEAD HP: VARMINT · SMALL GAME · PLINKING · TARGET

22 GOLDEN BULLET

HIGH VELOCITY – 22 SHORT & 22 LONG RIFLE

Legendary 22 Golden Bullet Plated RN and HP bullets are engineered for easy cycling and solid performance. High Velocity increases downrange energy, extending your effective range. Improved priming compound ensures consistent ignition at a great value.

PLATED RN: PLINKING · TARGET

PLATED HP: VARMINT · PLINKING · TARGET

22 TARGET

STANDARD VELOCITY – 22 LONG RIFLE

With 40-grain round nose bullets propelled by powder and primer charges of exacting consistency, Remington 22 Target ammunition delivers match-grade precision and championship performance in every round.

LEAD RN: PLINKING · TARGET

CBEE 22™

LOW NOISE / LOW VELOCITY – 22 LONG RIFLE

Combines low noise with excellent shot-to-shot consistency. Its 33-grain Plated Truncated-Cone HP bullet is ideal for dispatching varmints and small game at close range as quietly as possible. Its tiny report makes it an excellent choice for new shooters as well.

PLATED TCHP: VARMINT · SMALL GAME · PLINKING · TARGET

22 VIPER®

HYPER VELOCITY – 22 LONG RIFLE

These Plated Truncated Cone Solid Bullets are renowned for their smooth feeding in any automatic pistol or rifle. The large diameter of the flat nose imparts tremendous shock at the entry point, while the solid bullet retains all of its weight to penetrate deep. These hyper-velocity loads hold their own at the target board as well. For fast-striking, 22 performance, Viper can't be beat.

Plated TCSB: VARMINT PLINKING TARGET

22 YELLOW JACKET®

HYPER VELOCITY – 22 LONG RIFLE

The smooth feeding and excellent penetration of a Truncated Cone combined with the stopping power and massive wound channel of a hollow point. These bullets are specially designed to deliver maximum on-game energy with excellent precision. Yellow Jacket leaves a hyper-velocity sting wherever they're dispatched.

Plated TCHP: VARMINT PLINKING TARGET

22 CYCLONE®

HIGH VELOCITY – 22 LONG RIFLE

Tin cans. Rabbits. Or a bulls-eye. High Velocity increases downrange energy, extending your effective range with 38-grain hollow point terminal performance. No matter what you put in your sights, Remington Cyclone is the perfect 22 rimfire ammunition for just about any occasion.

Lead HP: SMALL GAME PLINKING TARGET

22 THUNDERBOLT®

HIGH VELOCITY – 22 LONG RIFLE

They've become the outstanding favorite of 22 owners the world over. These round nose bullets in high-velocity loads cover the broadest range of 22-caliber excitement. No wonder 22 Thunderbolt is our best-selling, and most popular round of all time.

Lead RN: PLINKING TARGET

NEW 17 HMR

PREMIER® MAGNUM RIMFIRE & MAGNUM RIMFIRE

Premier Magnum Rimfire cartridges are super-tuned to deliver unmatched shot-to-shot consistency, pin-point accuracy and explosive terminal performance. It's the ultimate choice for small game, varmint hunting. Available in 17 HMR and 22 Win Mag.

17 HMR: VARMINT SMALL GAME

22 WIN MAG: SMALL GAME TARGET COYOTE

RIMFIRE – 50 PACKS

PRODUCT LINE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET STYLE	VELOCITY
NEW 17 HMR	R17HM1	20023	17	JHP	High
NEW 17 HMR	R17HM2	20025	20	PSP	High
17 HMR	PR17HM1	28464	17	AT	High Velocity
22 Win Mag	PR22M1	21184	33	AT	High Velocity
22 Win Mag	R22M1	21170	40	JHP	High Velocity
22 Win Mag	R22M2	21172	40	PSP	High Velocity
22 Short Golden Bullet	1022	21000	29	PRN	High Velocity
22 LR Golden Bullet	1622	21008	36	PHP	High Velocity
22 LR Golden Bullet	1522	21006	40	PRN	High Velocity
22 CBee	CB-22L100	21119	33	PTCHP	Low Velocity
22 Yellow Jacket	1722	21074	33	PTCHP	Hyper Velocity
22 Viper	1922	21080	36	PTCS	Hyper Velocity
22 Target	6122	21022	40	LRN	Standard Velocity
22 Thunderbolt	TB-22A	21238	40	LRN	High Velocity
22 Cyclone	CY-22HP	21222	36	LHP	High Velocity
Subsonic	S22HPA	21135	40	CPT	Low Velocity

RIMFIRE – 100 PACKS

PRODUCT LINE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET STYLE	VELOCITY
22 Short Golden Bullet	1000	21001	29	PRN	High Velocity
22 LR Golden Bullet	1600	21278	36	PHP	High Velocity
22 LR Golden Bullet	1500	21276	40	PRN	High Velocity
22 Yellow Jacket	1700	21280	33	PTCHP	Hyper Velocity
22 Viper	1900	21288	36	PTCS	Hyper Velocity
22 Target	6100	21284	40	LRN	Standard Velocity
Subsonic	S22HP1A	21137	40	CPT	Low Velocity
22 CBee	CB-22LI00	21119	33	PTCHP	Low Noise, Low Velocity

RIMFIRE – 225 PACKS

PRODUCT LINE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET STYLE	VELOCITY
22 LR Golden Bullet	1622E	21229	36	PHP	High Velocity

RIMFIRE – 500 PACKS

PRODUCT LINE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET STYLE	VELOCITY
22 Thunderbolt	TB-22B	21241	40	LRN	High Velocity

RIMFIRE – 525 PACKS

PRODUCT LINE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET STYLE	VELOCITY
22 Golden Bullet	1622C	21250	36	PHP	High Velocity

RIMFIRE – 1400 PACKS

PRODUCT LINE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET STYLE	VELOCITY
22 Golden Bullet	1622B	21231	36	PHP	High Velocity

KEY: JHP = Jacketed Hollow Point SJHP = Semi-Jacketed Hollow Point SP = Soft Point
PSP = Pointed Soft Point PRN = Plated Round Nose PHP = Plated Hollow Point
PTCHP = Plated Truncated Cone HP PTCS = Plated Truncated Cone Solid AT = Accutip
LRN = Lead Round Nose LHP = Lead Hollow Point CPT = Copper Plated Tip

For more information on ballistics, see pages 93-98.

ACCESSORIES

REM OIL.....79
SOLVENTS, LUBES & CLEANERS.....80
CLEANING KITS.....81
CLEANING ACCESSORIES.....82
SHOOTING BAGS, STORAGE & HUMIDIFIERS.....84
REMINGTON CUTLERY.....87

REM® OIL

The quick, easy way to keep your firearms performing to their full potential. Rem Oil cleans dirt and grime from exposed metal surfaces, while displacing non-visible moisture from metal pores. It also protects internal and external metal parts from rust and corrosion. And the exclusive formula creates a thin, long-lasting film that keeps actions working smoothly by reducing metal-to-metal wear.

AVAILABLE IN:

- ***10-oz. Aerosol Can*** *(#24027)*
- ***6-oz. Spray Pump (Moistureguard)*** *(#18378)*
- ***4-oz. Aerosol Can*** *(#26610)*
- ***2-oz. Squeeze Bottle With Child Safe Cap*** *(#18366)*
- ***1-oz. Squeeze Bottle With Child Safe Cap*** *(#26617)*

REM OIL WIPES

Rem Oil Wipes are an efficient way to protect your firearms. Each wipe is treated with Rem Oil, for a quick and easy application of one of the world's most trusted cleaners and lubricants. The individually packaged Rem Oil Wipes are convenient for travel or in your field pack, while the sixty-count canister is a perfect companion for everyone's workbench.

AVAILABLE IN:

- ***Travel Size (24 Count)*** *(#16325)*
- ***60-Count Pop-Up Canister*** *(#18384)*
- ***12 Individually Wrapped 6"x 8" Wipes*** *(#18411)*
- ***Single Packs In Counter Display*** *(#18471)*

REM® DRILUBE™

- *Formulated for superior lubricity without leaving any dust collecting residue behind and is perfect for protecting your firearm in sub-zero temperatures*
- *Teflon®-based lubricant provides a tough, non-congealing film without the residue of dry graphite lubes*
- *Keeps firearms functioning dependably to -40°F*

AVAILABLE IN:

- ***4-oz. Aerosol Can*** *(#18396)*

SHOTGUN CLEANER

- *Cleans trigger groups, gas ports, choke tube threading, receivers, chambers, barrels and magazine tubes*
- *Dissolves powder residue, fouled lubricants, burnt carbon deposits and gunk*
- *Blasts away gummy caked-on grime from hard-to-reach areas such as ejectors, firing pin assemblies, trigger components and bolt recesses*

AVAILABLE IN:

- ***18-oz. Aerosol Can*** *(#18472)*

BRITE BORE™ SOLVENT

- *Dissolves carbon and powder fouling, removes copper, lead and plastic deposits*
- *Handy size for field or range use*
- *Low odor—contains no CFCs*

AVAILABLE IN:

- ***6-oz. Aerosol Can*** *(#18394)*
- ***2-oz. Squeeze Bottle with Child Safe Cap*** *(#18367)*

40-X™ BORE CLEANER

- *Formerly Remington Bore Cleaner*
- *40-X name ties into the product's origins in Precision Benchrest Shooting*
- *Formulated for rifles to improve cleaning, accuracy and performance*
- *Fast and easy to use—no soaking or foul odors*
- *Contains high polishing compounds to make your bore mirror-clean*

AVAILABLE IN:

- ***4-oz. Squeeze Bottle with Child Safe Cap*** *(#18397)*

REM ACTION CLEANER

- *Designed to ensure smooth, reliable gun function in all weather conditions*
- *Cleans dirt, powder residue, and caked on lubricants from actions & fire control mechanisms without disassembly*
- *Dissolves used lubricants, including grease and oils, producing a clean, dry surface*
- *Dries quickly leaving no residue*
- *Contains no CFC's or Carcinogens*

AVAILABLE IN:

- ***4-oz. Aerosol Can*** *(#19925)*
- ***10-oz. Aerosol Can*** *(#18395)*

REM GUN GREASE

- *Biodegradable and Non-Toxic*
- *Non-Melt Formula*
- *Wide temperature range from -20F to 500F*
- *Protects all sliding parts, threads and hinge points*
- *Displaces moisture and protects against rust and corrosion*
- *Safe for finished stocks, coated metals and polymer parts*

AVAILABLE IN:

- ***.5-oz. Squeeze Bottle*** *(#18501)*

FIELD CABLE CLEANING KITS

ALL CLEANING KITS INCLUDE:

- *Patch puller*
- *Pull cable with T-handle*
- *Cleaning patches*
- *Compact, water-resistant, tri-fold nylon pouch with close snaps and interior storage*
- *Oversized pouches include additional room for customization and storage of your favorite cleaning supplies and tools*
- *Heavy-duty pouch zippers with oversized pull strings for easy handling*
- *Quick-attach pack strap for convenience & organization*

SHOTGUN KIT *(#17574)*

BORE BRUSHES INCLUDE:

- ***12/16-gauge***
- ***20-gauge***
- ***Shotgun Adaptor***

RIFLE KIT *(#17599)*

BORE BRUSHES INCLUDE:

- ***.22/.223/5.56***
- ***.270/7mm***
- ***.30/7.62mm***

PISTOL KIT *(#17459)*

BORE BRUSHES INCLUDE:

- ***.357 /.380/9mm***
- ***.40/10mm***
- ***.44/.45***

ROLLUP CLEANING KITS

RIFLE KIT *(#15805)*

- *Durable codura material*
- *27 pieces securely held by elastic bands*
- *Cleaning rod & pull-through cable for maximum cleaning*
- *.22, .25. 270. 30, .38, .40, and .45 caliber brushes*
- *Cotton swabs*
- *Cleaning rod adapter*
- *Drill adapter allows rod to attach to cordless drill*
- *50" x 14" cleaning mat protects firearm and work surfaces*

SHOTGUN KIT *(#15806)*

- *Durable codura material*
- *17 pieces securely held by elastic bands*
- *Cleaning rod & pull-through cable for maximum cleaning*
- *12, 20 gauge, and .410 bore extra long bronze brushes*
- *Cotton swabs*
- *Cleaning rod adapter*
- *Drill adapter allows rod to attach to cordless drill*
- *50" x 14" cleaning mat protects firearm and work surfaces*

PISTOL KIT *(#15804)*

- *Durable codura material*
- *21 pieces securely held by elastic bands*
- *Cleaning rod & pull-through cable for maximum cleaning*
- *12, 20 gauge, and .410 bore extra long bronze brushes*
- *Cleaning rod adapter*
- *Drill adapter allows rod to attach to cordless drill*
- *14" x 14" cleaning mat protects firearm and work surfaces*

SPORTSMAN UNIVERSAL KIT

- *27-piece (true count) cleaning kit*
- *Includes 50 patches (22 caliber to 12-gauge)*
- *3-piece aluminum rod accepts standard 8-32*
- *Attractive wooden case with embossed Remington logo*
- *#19054*

REM® CLEANING BRUSH SET

- *Scrubbing power for removal of powder residue, carbon deposits, & fouling*
- *Versatile cleaning for hard to reach places*
- *Contoured handles for secure grip*
- *Can be used for multiple cleaning applications*
- *#16249*

BORE LIGHT

- *Ideal for inspecting used firearms, cleaning firearms and inspecting bore for obstructions*
- *Features a flexible neck for hard to see and reach places*
- *LED bulb emits 60 lumens of intense light for detailed inspection*
- *#19531*

REM® PAD GUN CLEANING MATS

- *Surface material won't scratch guns or tabletops*
- *Absorbent top material traps and holds up to eight times its weight in fluids*

AVAILABLE IN TWO SIZES:

- ***12" x 28"*** *(#18812)*
- ***16" x 54"*** *(#18813)*

Gun care available for purchase at www.remington.com

CARBON FIBER SINGLE PIECE CLEANING ROD WITH HANDLE

- *Each rod comes with a ball-bearing handle*
- *Rods and handle accept standard 8-32 threads*
- *Shotgun rod 8mm diameter accepts 5/16"-27 threads for all standard shotgun brushes, jags, mops and pullers*
- *All brass fittings for maximum barrel protection during use*

AVAILABLE IN:

- ***12"*** *(#16222)*
- ***36"*** *(#16223)*
- ***40"*** *(16224)*
- ***40" Shotgun*** *(#16228)*

CARBON FIBER 3-ROD CLEANING SET

- *Set includes 3 Carbon rods (12", 36" and 40") and ball bearing handle*
- *Rods and handle accept standard 8-32 threads*
- *All brass fittings for maximum barrel protection during use*
- *#16229*

REM® BRUSH

- *8-32 standard threads*
- *Bronze bristles resist corrosion*
- *Cleans without excessive abrasion*

AVAILABLE IN:

- ***12- / 16-Gauge*** *(#19028)*
- ***20-Gauge*** *(#19026)*
- ***28-Gauge / .410 Bore*** *(#19025)*
- ***.17 HMR / .204 / .17*** *(#18407)*
- ***.22 / .223 / 5.56mm*** *(#19017)*
- ***.243 / .25*** *(#19018)*
- ***.30 / 7.62mm*** *(#19020)*
- ***.357 / .380 / .38 / 9mm*** *(#19014)*
- ***.375*** *(#18409)*
- ***.270 / 7mm*** *(#19019)*
- ***.40 / 10mm*** *(#19015)*
- ***.44 / .45*** *(#19023)*
- ***.50*** *(#19225)*

BORE CLEANING ROPE

- *Nine (9) lengths to accomodate a wide range of calibers and gauges*
- *Dual rows of bronze bristles for strong cleaning*
- *Loop handle for easy pull*

AVAILABLE IN:

- ***12-Gauge*** *(#17748)*
- ***20-Gauge*** *(#17749)*
- ***.50 /.54*** *(#17759)*
- ***.410 Bore /.416 /.44 /45-70 /.458 /.460*** *(#17758)*
- ***308 /30-30 /30-06 /.300 /7.62*** *(#17757)*
- ***.270 /7mm /.280 /.284*** *(#17755)*
- ***.25 /25-06 /6.5 /.260 /.264*** *(#17754)*
- ***6mm / .243*** *(#17756)*
- ***.22 / .22-250 / .223 / 5.56*** *(#17753)*

REM® CLOTH WITH MOISTUREGUARD

- *10" x 10" non-abrasive cloth*
- *Instantly protects metal surfaces*
- *Safe on blued, and all metal finishes*
- *Reusable—includes zip seal pouch*
- *Washable and can be re-energized by retreating with Rem Oil with MoistureGuard*
- *#19902*



BENCHREST SHOOTING BAGS

- *Three (3) sizes provide versatility, comfortable positioning and stock & barrel support*
- *Durable 1000 denier Codura*
- *Quick Clip attachment for easy transport*
- *Six (6) Round velcro shell holder*
- *Velcro closure securely holds fill material*
- *#17336*

HUNTING BLIND SHOOTING BAG

- *Secure resting platform for blind or shooting rail*
- *Durable 1000 denier Codura*
- *Velcro straps for quick attachment*
- *Easy fill velcro closures securely holds fill material*
- *#15802*

Gun care available for purchase at www.remington.com

12" GUN SACK WITH SILICONE

- 12" Pistol
- Silicon treated
- Multi-color green
- Draw string closure
- #17269

52" GUN SACK WITH SILICONE

- 52" Long Gun
- Silicon treated
- Multi-color green
- Draw string closure
- #18494

CHOKE TUBE HARD CASE

- Securely holds 5 choke tubes & choke tube wrench
- Elastic bands accommodate all gauges
- Durable hard case
- Zipper closure
- Convenient belt loop for easy carry
- Great size for range or blind bag
- Remington embossed
- #19959

CHOKE TUBE SOFT CASE

- Durable codura material
- Wide elastic bands securely hold 7 choke tubes
- Front zipper pouch for choke tube wrench, accommodates extended tubes
- Applicable all gauges
- Double belt loops
- Snap on clip for attachment to range bag
- #15803

MODEL 365 DEHUMIDIFIER

- Protects up to 60 days before recharging is necessary
- Self-contained unit requires no wiring or extension cords
- Protects 333 cubic feet
- #19950

MODEL 500 DEHUMIDIFIER

- Works in a 500-cubic-foot area
- No battery or cord needed
- Works up to 10 years
- Non-toxic, child and pet safe
- Eco-friendly
- #19946

METAL FIELD BOX/ AMMO CAN

- 30 caliber
- Heavy duty latching system
- Folding handle
- #15807

PLASTIC FIELD BOX/ AMMO CAN

- 30 caliber
- Waterproof polypropylene provides dry storage
- Heavy duty latching system
- Strong folding handle
- #15808

Gun care available for purchase at www.remington.com

REMINGTON CUTLERY

HUNTER SERIES

- *Multi-color G10 handles with gold spacers*
- *Stainless steel blades*
- *Limited lifetime warranty*

HUNTER SERIES

ORDER NO.	NAME	TYPE	SIZE
15632	Hunter D2 Trailing Point / Black Leather Sheath	Folder	4"
15633	Hunter D2 Trailing Point / Black Leather Sheath	Fixed	7"
15634	Hunter Stockman	Folder	4"
15636	Hunter Trapper	Folder	4.125"
15637	Hunter Caping Knife / Black Belt Sheath	Fixed	6.5"
15639	Hunter Lock Back	Folder	3.75"

BACKWOODS SERIES

- *Coffee brown bone handles with Remington shield*
- *Stone washed carbon steel blades*
- *Limited lifetime warranty*

BACKWOODS SERIES

ORDER NO.	NAME	TYPE	SIZE
15642	Backwoods Trapper	Folder	3.5"
15643	Backwoods Stockman	Folder	3.5"
15645	Backwoods Stockman	Folder	4"
15646	Backwoods Lock Back	Folder	3.5"
15647	Backwoods Liner Lock	Folder	3.75"
15648	Backwoods Trapper	Multi Blade Folder	4.125"
15649	Backwoods Skinner w/Sheath	Fixed	6.5"

GUIDE SERIES

- *Stag handles with nickle silver bolsters and Remington shield*
- *Stainless steel blades*
- *Limited lifetime warranty*

GUIDE SERIES

ORDER NO.	NAME	TYPE	SIZE
15652	Guide Trapper	Folder	4.125"
15653	Guide Stockman	Folder	4"
15654	Guide Lock Back	Folder	4"
15655	Guide Jr. Skinner w/Sheath	Fixed	6.5"
15656	Guide Skinner w/Sheath	Fixed	8.5"

WOODLAND SERIES

- *Wood handle with Remington logo*
- *Stainless steel blades*
- *Limited lifetime warranty*

WOODLAND SERIES

ORDER NO.	NAME	TYPE	SIZE
15657	Woodland Stockman	Folder	3.5"
15658	Woodland Trapper	Folder	3.5"
15659	Woodland Toothpick	Folder	2.75"
15662	Woodland Liner Lock	Folder	4"
15663	Woodland Skinner w/Sheath	Fixed	7.5"

EVERYDAY CARRY SERIES

- *Tan or black G10 handles with pocket clip*
- *D2 stone washed blades with ball bearing pivot system*
- *Limited lifetime warranty*

EVERDAY CARRY SERIES (EDC)

ORDER NO.	NAME	TYPE	SIZE
15664	EDC G10 Tan Handle / D2 Stone Washed	Coping Folder	4"
15666	EDC G10 Black Handle / D2 Stone Washed	Coping Folder	4"
15667	EDC G10 Tan Handle / D2 Stone Washed	Drop Point Folder	4"
15668	EDC G10 Black Handle / D2 SS Satin	Drop Point Folder	4"

SPORTSMAN SERIES

- *Tan/black or OD green/black handles*
- *8cr13mov blades with pocket clip*
- *Limited lifetime warranty*

SPORTSMAN SERIES

ORDER NO.	NAME	TYPE	SIZE
15669	Sportsman – Tan/Black Molded Handle	Folder	4.5"
15672	Sportsman – OD Green/Black Molded Handle SS	Folder	4.5"
15673	Sportsman Saw – Tan/Black Molded Handle	Folder	4.5"
15674	Sportsman Skinner w/Gut Hook – OD Green/Black	Folder	4.5"
15675	Sportsman Skinner – Tan/Black Molded Handle w/Sheath	Fixed	8"
15676	Sportsman Skinner w/Gut Hook – Tan/Black w/Sheath	Fixed	8"
15679	Sportsman 3 Piece Skinner Set	Mixed	–

LIMITED EDITION TIN COLLECTIBLES

These limited edition collectibles include a pair of Remington pocket knives in a collector tin featuring authentic Remington vintage art on the lid. Each knife comes with stonewashed blades and either white or coffee brown bone handles with an enlayed Remington medallion. To see the complete series of collectible knife tins, visit www.remington.com.

- *Limited edition collector tins featuring authentic Remington vintage art*
- *Stone washed or stainless steel blades*
- *Coffee or white bone handles*

LIMITED EDITION TIN COLLECTIBLES

ORDER NO.	NAME
15682	American Tradition Tin Collector Gift Set
15683	American Classic Tin Collector Gift Set
15684	Pheasant Tin Collector Gift Set
15685	Mule Deer Tin Collector Gift Set
15686	Duck Tin Collector Gift Set
15687	Turkey Tin Collector Gift Set

CUTLERY ROLLUP STORAGE SOFT CASE

- *Durable codura material with oversize buckles for secure closure*
- *45 storage slots*
- *Fold over mat for protection*
- *Great for folding knife collection, choke tubes, tools or other collectibles*
- *#15809*

SPORTSMAN TACTICAL PEN SERIES

- *Mini-flashlight push button on/off*
- *Glass break point*
- *Bottle opener, mini cutting blade, flathead screwdriver, 6 mm wrench*

SPORTSMAN TACTICAL PEN SERIES

ORDER NO.	NAME
15677	Sportsman Tactical Pen – Black w/Remington Logo
15678	Sportsman Tactical Pen – Gun Metal Gray w/Remington Logo

REMINGTON LICENSED PRODUCTS

BIG GREEN IS BACK

Featuring an expanded roster of trusted partners, Remington is proud to bring you an assortment of new gear and gifts for your Remington lifestyle in the field, range and home.

Remington is always seeking quality partners to represent our brand's lifestyle in new product categories. Contact Danny Evans at danny.evans@remington.com.

DECOR BY OPEN ROADS

DECOR BY DESPERATE ENTERPRISES

DECOR & MORE BY SMOKY MOUNTAIN KNIFE WORKS

AMMO CRATES BY VINTAGE EDITIONS

COOLERS BY BLACKBIRD

CALENDARS BY ASHGROVE MARKETING

Ashgrove MARKETING

REMINGTON COUNTRY HOODIE

SHURSHOT UPLAND VEST

SHURSHOT UPLAND PANT

REMINGTON BIG GAME JACKET

OUTDOOR CAP

REMINGTON HATS BY OUTDOOR CAP

NITRO WATERFOWLER BIB

NITRO WATERFOWLER JACKET

Gamehide
Hunting wear is all we do!®

OUTDOOR GEAR BY GAMEHIDE

TRUCK, TRAILER & GOLF CART WHEELS

- *Multiple styles to choose from*
- *Silicon treated*
- *Remington logo on end cap*
- *Made in the USA*

Remington
AUTOMOTIVE ACCESSORIES FOR THE TRUE OUTDOORSMAN.

SCOPE EXHAUST TIPS

DOUBLE BARREL EXHAUST TIPS

LICENSE PLATE FRAMES

Remington
Remington

REMINGTON EMBLEMS

TRAILER HITCH

CENTER-FIRE LUG NUTS

SPECIFICATIONS

INTERCHANGEABILITY CHART

CARTRIDGES WITHIN GROUPS SHOWN ARE INTERCHANGEABLE.

Other substitutions should not be made without specific recommendation of the firearms manufacturer since improper combinations could result in firearm damage or personal injury.

CENTERFIRE
25-20 Remington
25-20 W.C.F.
25-20 Win
25-20 Win High Speed
25-20 Marlin
25 W.C.F.
6mm Remington
244 Remington
25 Automatic
5 Auto. Colt Pistol (ACP)
25 (6.35mm) Automatic
6.35mm Browning
7mm Express, Remington
280 Remington
30-30 Sav.
30-30 Win
30-30 Win Accelerator *(SEE NOTE A)*
30-30 Marlin
30-30 Win High Speed
30 W.C.F.
32 Colt Automatic
32 Auto. Colt Pistol (ACP)
32 (7.65mm) Automatic
7.65mm Automatic Pistol
7.65mm Browning (not interchangeable with 7.65mm Luger)
32 Short Colt in 32 Long Colt but not conversely *(SEE NOTE C)*
32 S&W in 32 S&W Long but not conversely
32 S&W Long
32 Colt New Police
32 Colt Police Positive
32 W.C.F. *(SEE NOTE A)*
2 Win *(SEE NOTE A)*
32-20 Win. High Speed *(SEE NOTE A)*
32-20 Colt L.M.R *(SEE NOTE G)*
32-20 W.C.F. *(SEE NOTE G)*
32-20 Win *(SEE NOTE A)*
32-20 Marlin *(SEE NOTE G)*
38 S&W
38 Colt New Police
380 Webley
38 Colt Special *(SEE NOTE B & D)*
38 S&W Special *(SEE NOTE B & D)*
38 S&W Special Mid-Range *(SEE NOTE B & D)*
38 Special Targetmaster *(SEE NOTE B & D)*
38 Special +P *(SEE NOTE B & D)*
38-44 Special +P *(SEE NOTE B & D)*
38 Special *(SEE NOTE B & D)*
38 Special Flat Point *(SEE NOTE B & D)*
38 Short Colt in 38 Long Colt but not conversely. Both can be used in 38 Special.
38 Marlin *(SEE NOTE A)*
38 Win *(SEE NOTE A)*
38 Remington *(SEE NOTE A)*
38-40 Win *(SEE NOTE A)*
38 W.C.F. *(SEE NOTE A)*
38 Automatic in 38 Super +P – but not conversely
380 Automatic
9mm Browning Short (Corto Kurz)
9mm Luger *(SEE NOTE E)*
9mm Parabellum *(SEE NOTE E)*
44 S&W Special *(SEE NOTE F)*
44 Marlin
44 Win
44 Remington
44-40 Win

RIMFIRE
22 W.R.F.
22 Remington Special
22 Win. in a 22 Win. Mag. Rimfire – but not conversely

NOTE A: *High-speed cartridges must not be used in revolvers. They should be used only in rifles made especially for them.*

NOTE B: *Ammunition with "+P" on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the gun manufacturer.*

NOTE C: *Not for use in revolvers chambered for 32 S&W or 32 S&W Long.*

NOTE D: *All 38 Special cartridges can be used in 357 Magnum revolvers but not conversely.*

NOTE E: *9mm sub machine gun cartridges should not be used in handguns.*

NOTE F: *44 Russian and 44 S&W Special can be used in 44 Remington Magnum revolvers but not conversely.*

NOTE G: *Not to be used in Win. M-66 and M-73.*

CENTERFIRE RIFLE BALLISTICS

17 REMINGTON FIREBALL – 7MM REMINGTON SA ULTRA MAG

CARTRIDGE	INDEX/ EDI NO.	RAMAC	WT (GR)	BULLET STYLE	PRIMER NO.	SIGHT HEIGHT (INCHES)	ZERO (YARDS)	VELOCITY (FPS) MUZZLE	100	200	300	400	500	ENERGY (FT-LB) MUZZLE	100	200	300	400	500	TRAJECTORY (INCHES) MUZZLE	100	200	300	400	500	BALLISTIC COEFFICIENT
17 Remington Fireball	PRA17FB	29165	20	AccuTip-V	7½	1.5	200	4000	3380	2840	2360	1930	1555	710	507	358	247	165	107	-1.5	0.8	0.0	-5.1	-16.6	-37.6	0.185
	L17FBV	28472	25	Jacketed Hollow Point	7½	1.5	200	3850	3273	2767	2313	1905	1547	823	595	425	297	201	133	-1.5	0.9	0.0	-5.5	-17.6	-39.3	0.193
17 Remington	PRA17RA	29162	20	AccuTip-V	7½	1.5	200	4250	3594	3028	2529	2081	1684	802	574	407	284	192	126	-1.5	0.6	0.0	-4.4	-14.4	-32.5	0.185
	R17R2	28460	25	Hollow Point	7½	1.5	200	4040	3420	2881	2402	1972	1594	906	649	461	320	216	141	-1.5	0.8	0.0	-5.0	-16.1	-36.3	0.187
204 Ruger	PRA204A	29218	32	AccuTip-V	7½	1.5	200	4225	3645	3137	2683	2272	1899	1268	944	699	512	367	256	-1.5	0.6	0.0	-4.1	-13.1	-29.0	0.210
	PRA204B	29220	40	AccuTip-V Boat Tail	7½	1.5	200	3900	3482	3103	2755	2433	2133	1351	1077	855	674	526	404	-1.5	0.7	0.0	-4.3	-13.2	-28.1	0.275
22 Hornet	PRA22HNA	29154	35	AccuTip-V	6½	1.5	100	3100	2271	1590	1126	–	–	747	401	197	99	–	–	-1.5	0.0	-5.6	-25.5	–	–	0.109
	R22HN1	28376	45	Pointed Soft Point	6½	1.5	100	2690	2044	1505	1130	–	–	723	417	226	128	–	–	-1.5	0.0	-7.1	-30.0	–	–	0.130
	R22HN2	28378	45	Hollow Point	6½	1.5	100	2690	2044	1505	1130	–	–	723	417	226	128	–	–	-1.5	0.0	-7.1	-30.0	–	–	0.130
220 Swift	R220S1	21297	50	Pointed Soft Point	9½	1.5	200	3780	3158	2617	2135	1710	1357	1586	1107	760	506	325	204	-1.5	1.0	0.0	-6.2	-20.1	-46.1	0.175
221 Remington Fireball	PRA221FB	29172	50	AccuTip-V Boat Tail	7½	1.5	200	2995	2605	2246	1917	1621	1368	996	753	560	408	292	208	-1.5	1.8	0.0	-8.8	-27.1	-58.8	0.238
222 Remington	R222R1	21303	50	Pointed Soft Point	7½	1.5	200	3140	2601	2121	1697	1347	1105	1094	751	499	320	202	136	-1.5	1.9	0.0	-9.7	-31.8	-73.1	0.175
	PRA222RB	29174	50	AccuTip-V Boat Tail	7½	1.5	200	3140	2743	2380	2045	1740	1471	1094	835	629	464	336	240	-1.5	1.6	0.0	-7.8	-23.9	-51.7	0.242
223 Remington	L223R3	23711	55	Full Metal Jacket	7½	1.5	200	3240	2759	2325	1933	1586	1300	1282	929	660	456	307	206	-1.5	1.6	0.0	-8.1	-25.6	-57.1	0.202
	L223R7	23748	45	Jacketed Hollow Point	7½	1.5	200	3550	2953	2430	1963	1559	1241	1259	871	590	385	243	154	-1.5	1.3	0.0	-7.3	-23.7	-54.7	0.173
	L223R8	23812	50	Jacketed Hollow Point	7½	1.5	200	3425	2899	2430	2007	1633	1324	1302	933	655	447	296	195	-1.5	1.3	0.0	-7.3	-23.4	-52.7	0.192
	PRA223RB	29184	50	AccuTip-V Boat Tail	7½	1.5	200	3410	2989	2605	2252	1928	1635	1291	992	753	563	413	297	-1.5	1.2	0.0	-6.4	-19.7	-42.4	0.242
	PRA223RC	29192	55	AccuTip-V	7½	1.5	200	3240	2854	2500	2172	1871	1598	1282	995	763	576	427	312	-1.5	1.4	0.0	-7.0	-21.4	-45.9	0.255
	R223R8	22111	62	Core-Lokt Ultra Bonded PSP	7½	2.5	200	3100	2700	2328	1986	1678	1411	1323	1004	746	543	388	274	-2.5	1.2	0.0	-7.6	-24.2	-53.2	0.234
	R223R1	28399	55	Pointed Soft Point	7½	1.5	200	3240	2747	2304	1904	1554	1270	1282	921	648	443	295	197	-1.5	1.6	0.0	-8.2	-26.2	-58.7	0.197
	RD223R4	22107	62	Core-Lokt Ultra Bonded PSP	7½	2.5	200	3100	2700	2328	1986	1678	1411	1323	1004	746	543	388	274	-2.5	1.17	0.0	-7.6	-24.2	-53.2	0.234
	PRH223R4	28919	62	Core-Lokt Ultra Bonded PSP	7½	1.5	200	3260	2841	2458	2105	1784	1501	1465	1112	832	610	438	310	-1.5	1.4	0.0	-7.2	-22.4	-48.6	0.234
	R223R6	22106	62	Open Tip Match	7½	2.5	200	3025	2572	2162	1792	1471	1218	1260	911	644	442	298	204	-2.5	1.4	0.0	-8.9	-28.9	-65.0	0.205
	RM223R1	27680	69	MatchKing BTHP ††††	7½	2.5	200	3000	2720	2456	2208	1974	1756	1379	1133	924	747	597	472	-2.5	1.1	0.0	-6.9	-21.0	-44.0	0.336
	RM223R3	27686	77	MatchKing BTHP †††	7½	2.5	200	2790	2539	2304	2081	1871	1676	1329	1102	907	740	598	480	-2.5	1.5	0.0	-8.0	-24.1	-50.2	0.362
22-250 Remington	L22503	23750	45	Jacketed Hollow Point	9½	1.5	200	4000	3340	2770	2267	1820	1441	1598	1114	767	513	331	207	-1.5	0.8	0.0	-5.4	-17.7	-40.7	0.173
	L22504	23813	50	Jacketed Hollow Point	9½	1.5	200	3820	3245	2739	2286	1878	1523	1620	1169	833	580	392	258	-1.5	0.9	0.0	-5.6	-18.0	-40.3	0.192
	PRA2250RB	29186	50	AccuTip-V Boat Tail	9½	1.5	200	3800	3339	2925	2546	2198	1878	1603	1238	949	720	536	392	-1.5	0.8	0.0	-4.9	-15.2	-32.8	0.242
	HTP2250R1	27726	50	Barnes TSX FB	9½	1.5	200	3830	3267	2771	2326	1924	1570	1629	1185	853	601	411	274	-1.5	0.9	0.0	-5.5	-17.5	-39.0	0.197
	R22501	21311	55	Pointed Soft Point	9½	1.5	200	3680	3136	2654	2220	1829	1490	1654	1201	860	602	409	271	-1.5	1.0	0.0	-6.0	-19.2	-42.9	0.197
224 Valkyrie	L224VLK	21203	75	Full Metal Jacket	7½	1.5	100	3000	2763	2539	2325	2122	1929	1499	1272	1073	900	750	619	-1.5	0.0	-3.1	-11.5	–	–	0.400
	RM224VLK	21201	90	MatchKing OTM	7½	1.5	100	2700	2542	2388	2241	2098	1961	1457	1291	1140	1003	880	768	-1.5	0.0	-3.8	-13.9	–	–	0.274
	PRA224VLK	21202	60	AccuTip-V	7½	1.5	100	3300	2923	2577	2255	1958	1687	1451	1138	884	678	511	379	-1.5	0.0	-2.6	-10.4	–	–	0.265
6mm Remington	R6MM4	29051	100	Core-Lokt Pointed Soft Point	9½	1.5	200	3100	2829	2574	2333	2104	1890	2133	1777	1471	1208	983	793	-1.5	1.4	0.0	-6.7	-19.8	-40.8	0.356
6mm Creedmoor	RM6CRD	20001	107	Matchking OTM	9½	1.5	200	3000	2826	2658	2497	2341	2191	2138	1897	1679	1481	1302	1140	-1.5	1.4	0.0	-6.4	-18.2	-36.6	0.547
	R6CM01	29049	100	Core-Lokt Pointed Soft Point	9½	1.5	200	3000	2656	2337	2041	1768	1524	1999	1567	1214	925	695	516	-1.5	1.7	0.0	-8.1	-24.7	-52.4	0.272
243 Win	PRA243WB	29194	75	AccuTip-V Boat Tail	9½	1.5	200	3375	3065	2775	2504	2248	2008	1897	1564	1282	1044	842	671	-1.5	1.1	0.0	-5.6	-16.8	-35.0	0.330
	R243W1	27800	80	Pointed Soft Point	9½	1.5	200	3350	2955	2593	2258	1949	–	1993	1550	1194	906	675	–	-1.5	1.3	0.0	-6.5	-19.8	–	0.255
	PRSC243WA	29320	90	Swift Scirocco Bonded	9½	1.5	200	3120	2871	2635	2411	2199	1997	1946	1647	1388	1162	966	797	-1.5	1.4	0.0	-6.4	-18.7	-38.4	0.390
	RT243WA	29015	95	Core-Lokt Tipped	9½	1.5	200	3140	2866	2608	2364	2134	1916	2189	1823	1510	1241	1011	815	-1.5	1.4	0.0	-6.5	-19.2	-39.7	0.355
	PRH243WC	28923	100	Core-Lokt Ultra Bonded PSP	9½	1.5	200	3120	2860	2614	2382	2161	1952	2162	1817	1518	1260	1037	847	-1.5	1.4	0.0	-6.5	-19.1	-39.2	0.373
	R243W3	27802	100	Core-Lokt Pointed Soft Point	9½	1.5	200	2960	2697	2449	2215	1993	1786	1945	1615	1332	1089	882	708	-1.5	1.7	0.0	-7.5	-22.0	-45.4	0.356
25-06 Remington	R25062	21507	100	Core-Lokt Pointed Soft Point	9½	1.5	200	3230	2892	2579	2286	2013	1760	2316	1857	1476	1160	899	688	-1.5	1.3	0.0	-6.6	-19.9	-41.8	0.292
	R25063	21515	120	Core-Lokt Pointed Soft Point	9½	1.5	200	2990	2730	2484	2252	2032	1825	2382	1985	1644	1351	1100	887	-1.5	1.6	0.0	-7.2	-21.4	-43.9	0.362
25-20 Win	R25202	28364	86	Core-Lokt Pointed Soft Point	6½	0.9	100	1460	1194	1030	–	–	–	407	272	202	–	–	–	-0.9	0.0	-23.5	–	–	–	0.190
250 Savage	R250SV	29077	100	Core-Lokt Pointed Soft Point	9½	1.5	200	2820	2504	2209	1935	1684	–	1765	1392	1084	831	629	–	-1.5	2.0	0.0	-9.2	-27.8	–	0.285
257 Roberts	R257	28335	117	Core-Lokt Pointed Soft Point	9½	1.5	200	2650	2291	1961	1663	1404	1199	1824	1363	999	718	512	373	-1.5	2.6	0.0	-11.7	-36.1	-78.20	0.240
6.5 Creedmoor	PRSC65CR	29344	130	Swift Scirocco Bonded	9½	1.5	200	2750	2585	2426	2273	2125	1982	2183	1929	1699	1491	1303	1135	-1.5	1.9	0.0	-7.8	-22.3	-44.5	0.547
	R65CR2	27671	140	BTHP	9½	1.5	200	2700	2548	2400	2258	2120	1988	2267	2018	1792	1585	1398	1228	-1.5	1.9	0.0	-8.0	-22.8	-45.3	0.586
	R65CR1	27657	140	Core-Lokt Pointed Soft Point	9½	1.5	200	2700	2484	2278	2082	1896	1721	2267	1918	1613	1347	1117	921	-1.5	2.1	0.0	-8.8	-25.6	-52.2	0.410
	RT65CR1	29017	129	Core-Lokt Tipped	9½	1.5	200	2945	2751	2566	2388	2217	2053	2484	2168	1885	1633	1407	1207	-1.5	1.6	0.0	-6.8	-19.8	-39.8	0.485
	RM65CRD	27661	140	Matchking OTM	9½	1.5	200	2700	2548	2400	2258	2120	1988	2267	2018	1792	1585	1398	1228	-1.5	1.9	0.0	-8.0	-22.8	-45.3	0.586
6.5x55 Swedish	R65SWE1	29140	140	Core-Lokt Pointed Soft Point	9½	1.5	200	2550	2353	2164	1984	1814	1654	2021	1720	1456	1224	1023	850.00	-1.5	2.4	0.0	-9.8	-27.0	-57.80	0.435
6.5 Grendel	R65GR1	27649	120	BTHP	9½	1.5	100	2590	2401	2221	2048	1883	1728	–	–	–	–	–	–	-1.5	0.0	-4.5	-16.1	-36.0	-65.8	0.460
	RM65GDL	21205	130	Berger OTM	9½	1.5	100	2400	2251	2108	1969	1836	1711	1663	1463	1282	1119	973	845	-1.5	2.7	0.0	-10.4	-29.7	-59.8	0.560
6.5 PRC	RM65PRC01	27673	140	Berger OTM																						
260 Remington	R260R1	21292	140	Core-Lokt Pointed Soft Point	9½	1.5	200	2750	2544	2347	2158	1979	1812	2351	2011	1712	1448	1217	1021	-1.5	1.9	0.0	-8.3	-24.0	-48.7	0.435
	RM260R1	26852	142	Matchking OTM	9½	1.5	200	2750	2602	2459	2320	2187	2057	2384	2135	1907	1698	1507	1334	-1.5	1.8	0.0	-7.5	-21.7	-43.0	0.611
264 Win Mag	R264W2	29493	140	Core-Lokt Pointed Soft Point	9½ M	1.5	200	3030	2782	2548	2325	2113	1913	2854	2406	2017	1680	1388	1137	-1.5	1.5	0.0	-6.9	-20.2	-41.3	0.384
6.8 Remington SPC	L68R2	24035	115	Full Metal Jacket	9½	2.5	200	2625	2329	2053	1797	1565	1363	1759	1385	1076	825	625	474	-2.5	2.0	0.0	-10.3	-31.4	-66.8	0.292
	RM68R1	27676	115	MatchKing BTHP	9½	2.5	200	2625	2365	2119	1889	1676	1484	1759	1428	1147	911	717	562	-2.5	1.9	0.0	-9.7	-29.1	-61.0	0.333
270 Win	RT270WA	29019	130	Core-Lokt Tipped	9½	1.5	200	3080	2864	2658	2461	2273	2093	2738	2367	2039	1748	1491	1264	-1.5	1.4	0.0	-6.3	-18.4	-37.2	0.447
	R270W1	21325	100	Core-Lokt Pointed Soft Point	9½	1.5	200	3320	2923	2559	2223	1914	–	2248	1897	1455	1098	813	–	-1.5	1.3	0.0	-6.6	-20.4	–	0.252
	R270W2	27808	130	Core-Lokt Pointed Soft Point	9½	1.5	200	3060	2776	2509	2258	2021	1799	2702	2224	1817	1471	1179	935	-1.5	1.5	0.0	-7.1	-21.0	-43.4	0.336
	PRSC270WA	29322	130	Swift Scirocco Bonded	9½	1.5	200	3060	2838	2627	2425	2232	2049	2704	2326	1992	1698	1439	1212	-1.5	1.4	0.0	-6.5	-18.8	-38.2	0.433
	PRH270WB	28955	140	Core-Lokt Ultra Bonded PSP	9½	1.5	200	2975	2714	2468	2235	2015	1812	2751	2290	1893	1553	1262	1020	-1.5	1.6	0.0	-7.3	-21.7	-43.7	0.360
	R270W4	27810	150	Core-Lokt Soft Point	9½	1.5	200	2850	2504	2183	1887	1619	1386	2705	2088	1587	1186	873	640	-1.5	2.0	0.0	-9.4	-28.6	-61.2	0.261
270 WSM	R270WSM1	28940	130	Core-Lokt Pointed Soft Point	9½ M	1.5	200	3285	2986	2707	2444	2196	1963	3114	2573	2114	1724	1392	1112	-1.5	1.2	0.0	-6.0	-17.8	-36.8	0.336
280 Remington	RT280RA	29020	140	Core-Lokt Tipped	9½	1.5	200	3020	2823	2635	2455	2282	2115	2835	2478	2159	1873	1618	1391	-1.5	1.4	0.0	-6.4	-18.7	-37.6	0.486
	R280R3	28313	140	Core-Lokt Pointed Soft Point	9½	1.5	200	3000	2757	2528	2309	2102	1905	2797	2363	1986	1657	1373	1128	-1.5	1.5	0.0	-7.0	-20.5	-42.0	0.390
	R280R1	29069	150	Core-Lokt Pointed Soft Point	9½	1.5	200	2890	2624	2373	2136	1914	1706	2781	2293	1876	1520	1219	970	-1.5	1.8	0.0	-8.0	-23.6	-48.8	0.346
	R280R2	28417	165	Core-Lokt Soft Point	9½	1.5	200	2820	2509	2219	1949	1700	1478	2913	2307	1804	1391	1059	800	-1.5	2.0	0.0	-9.1	-27.5	-57.9	0.290
7mm-08 Remington	R7M082	28827	120	Hollow Point	9½	1.5	200	3000	2725	2467	2223	1992	1777	2398	1979	1621	1316	1058	842	-1.5	1.6	0.0	-7.3	-21.7	-44.9	0.343
	R7M081	21337	140	Core-Lokt Pointed Soft Point	9½	1.5	200	2860	2625	2402	2189	1988	1798	2542	2142	1793	1490	1228	1005	-1.5	1.8	0.0	-7.8	-22.9	-46.9	0.390
	PRA7M08RB	29216	140	AccuTip Boat Tail	9½	1.5	200	2860	2670	2489	2314	2146	1986	2542	2216	1925	1664	1432	1225	-1.5	1.7	0.0	-7.3	-21.1	-42.5	0.486
7mm Remington Magnum	R7MM4	28821	140	Core-Lokt Pointed Soft Point	9½ M	1.5	200	3175	2923	2684	2458	2243	2039	3133	2655	2240	1878	1564	1292	-1.5	1.3	0.0	-6.1	-18.0	-36.9	0.390
	RT7MMRB	29021	150	Core-Lokt Tipped	9½ M	1.5	200	3130	2945	2767	2597	2432	2274	3262	2888	2550	2245	1970	1722	-1.5	1.3	0.0	-5.8	-16.8	-33.6	0.530
	R7MM2	29487	150	Core-Lokt Pointed Soft Point	9½ M	1.5	200	3110	2831	2568	2321	2087	1867	3221	2669	2197	1793	1450	1161	-1.5	1.4	0.0	-6.7	-19.9	-41.1	0.346
	PRSC7MMB	29316	150	Swift Scirocco Bonded	9½ M	1.5	200	3110	2927	2751	2582	2419	2262	3222	2854	2521	2221	1949	1705	-1.5	1.3	0.0	-5.9	-17.0	-34	0.533
	PRH7MMRC	28979	160	Core-Lokt Ultra Bonded PSP	9½ M	1.5	200	3000	2774	2557	2350	2152	1965	3203	2734	2323	1962	1646	1372	-1.5	1.5	0.0	-6.9	-20	-40.7	0.415
	R7MM3	27814	175	Core-Lokt Pointed Soft Point	9½ M	1.5	200	2860	2645	2440	2244	2057	1879	3178	2718	2312	1956	1643	1372	-1.5	1.7	0.0	-7.6	-22.1	-44.9	0.427
7mm Mauser (7x57)	R7MSR1	29031	140	Core-Lokt Pointed Soft Point	9½	1.5	200	2660	2435	2221	2018	1827	1648	2199	1843	1533	1266	1037	844	-1.5	2.2	0.0	-9.3	-27.1	-55.4	0.390
7 x 64 Brenneke	R7X641	29130	140	Core-Lokt Pointed Soft Point	9½	1.5	200	2950	2710	2483	2266	2061	1867	2705	2283	1916	1597	1320	1083	-1.5	1.6	0.0	-7.3	-21.3	-43.6	0.390
7mm Remington SA Ultra Mag	PRTSM2	27874	150	Core-Lokt Pointed Soft Point	9½ M	1.5	200	3110	2831	2568	2321	2087	1867	3221	2669	2197	1793	1450	1161	-1.5	1.4	0.0	-6.7	-19.9	-41.1	0.346

CENTERFIRE RIFLE BALLISTICS (CONT.)

7MM REMINGTON ULTRA MAG – 444 MARLIN

CARTRIDGE	INDEX/ EDI NO.	RAMAC	WT (GR)	BULLET STYLE	PRIMER NO.	SIGHT HEIGHT (INCHES)	ZERO (YARDS)	VELOCITY (FPS) MUZZLE	100	200	300	400	500	ENERGY (FT-LB) MUZZLE	100	200	300	400	500	TRAJECTORY (INCHES) MUZZLE	100	200	300	400	500	BALLISTIC COEFFICIENT
7mm Remington Ultra Mag	PRSC7UM1	29335	150	Swift Scirocco Bonded	9½ M	1.5	200	3325	3132	2948	2771	2602	2438	3683	3269	2896	2559	2255	1980	-1.5	1.0	0.0	-5	-14.6	-29.3	0.533
	R7RUM01	27759	150	Core-Lokt Pointed Soft Point	9½ M	1.5	200	3230	2943	2674	2421	2181	1955	3476	2886	2382	1952	1585	1274	-1.5	1.2	0.0	-6.1	-18.2	-37.7	0.346
30 Carbine	L30CR1	23712	110	Full Metal Jacket	6½	0.9	100	1990	1566	1235	1034	–	–	967	599	372	261	–	–	-0.9	0.0	-13.6	-50.0	–	–	0.166
	R30CAR	28322	110	Core-Lokt Soft Point	6½	0.9	100	1990	1566	1235	1034	–	–	967	599	372	261	–	–	-0.9	0.0	-13.6	-50.0	–	–	0.166
300 AAC Blackout	L300AAC1	21421	120	Open Tip Flat Base	7½	2.5	100	2200	1937	1695	1479	1294	–	1290	1000	766	583	446	–	-2.5	0.0	-6.8	-25.8	-60.8	–	0.297
	RM300AAC6	21503	125	MatchKing Flat Base	7½	2.5	100	2215	1977	1755	1552	1373	–	1362	1084	854	669	523	–	-2.5	0.0	-6.4	-24.2	-56.5	–	0.330
	L300AAC2	26854	150	Full Metal Jacket	7½	2.5	100	1905	1721	1551	1398	–	–	1209	986	801	651	–	–	-2.5	0.0	-9.3	-33.1	–	–	0.390
	S300AAC4	28430	220	OTFB	7.5	2.5	100	940	918	897	877	858	841	433	412	393	376	360	345	-2.5	0.0	-38.8	-120.7	–	–	0.680
	L300AAC4	21422	220	Open Tip Flat Base	7½	2.5	100	1015	985	958	934	–	–	503	474	448	426	–	–	-2.5	0.0	-33.3	-104.5	–	–	0.680
30 Remington AR	R30RAR2	29485	150	Core-Lokt Pointed Soft Point	7½	2.5	200	2575	2302	2047	1812	1591	–	2208	1765	1395	1093	843	–	-2.5	0.0	0.0	-10.4	-31.5	–	0.314
30-30 Win	R30301	27818	150	Core-Lokt Soft Point	9½	0.9	100	2390	1973	1606	1304	–	–	1902	1297	859	567	–	–	-0.9	0.0	-8.2	-30.0	–	–	0.193
	RL30301	27644	125	Core-Lokt Soft Point	9½	0.9	100	2175	1820	1508	1255	1082	975	1313	919	631	437	325	264	-0.9	0.0	-9.1	-33.7	–	–	0.215
	R30302	27820	170	Core-Lokt Soft Point	9½	0.9	100	2200	1895	1619	1380	–	–	1827	1355	989	719	–	–	-0.9	0.0	-8.9	-31.1	–	–	0.254
	R30303	21395	170	Core-Lokt Hollow Point	9½	0.9	100	2200	1895	1619	1380	–	–	1827	1355	989	719	–	–	-0.9	0.0	-8.9	-31.1	–	–	0.254
30-40 Krag	R30402	28345	180	Core-Lokt Pointed Soft Point	9½	1.5	200	2430	2213	2006	1815	1632	1467	2360	1956	1609	1316	1064	860	-1.5	2.8	0.0	-11.5	-33.6	-68.8	0.383
30-06 Sprg	R30061	21401	125	Core-Lokt Pointed Soft Point	9½	1.5	200	3140	2780	2448	2139	1854	1596	2736	2145	1663	1270	954	707	-1.5	1.5	0.0	-7.4	-22.4	-47.5	0.268
	L30062	27622	150	Full Metal Jacket	9½	1.5	200	2910	2617	2342	2083	1842	1621	2820	2280	1826	1445	1130	875	-1.5	1.8	0.0	-8.2	-24.4	-50.9	0.314
	RT3006A	29027	150	Core-Lokt Tipped	9½	1.5	200	2930	2705	2491	2287	2093	1909	2859	2437	2067	1742	1459	1213	-1.5	1.6	0.0	-7.2	-21.2	-43.0	0.415
	R30062	27826	150	Core-Lokt Pointed Soft Point	9½	1.5	200	2910	2617	2342	2083	1842	1621	2820	2280	1826	1445	1130	875	-1.5	1.8	0.0	-8.2	-24.4	-50.9	0.314
	PRSC3006C	29318	150	Swift Scirocco Bonded	9½M	1.5	200	2910	2696	2492	2298	2112	1934	2821	2422	2070	1759	1485	1247	-1.5	1.7	0.0	-7.3	-21.1	-42.8	0.435
	PRH3006A	29007	150	Core-Lokt Ultra Bonded PSP	9½	1.5	200	3035	2748	2479	2226	1988	1766	3069	2517	2048	1651	1316	1038	-1.5	1.56	0.0	-7.2	-21.5	-44.7	0.331
	RT3006B	29035	165	Core-Lokt Tipped	9½	1.5	200	2820

HANDGUN BALLISTICS

25 AUTO – 45 GAP																	
CARTRIDGE	INDEX/ EDI NO.	RAMAC	WT (GR)	BULLET STYLE	PRIMER NO.	SIGHT HEIGHT (INCHES)	ZERO (YARDS)	VELOCITY (FPS) MUZZLE	25	50	ENERGY (FT-LB) MUZZLE	25	50	TRAJECTORY (INCHES) 25	50	BARREL LENGTH	BALLISTIC COEFFICIENT
25 Auto (6.35mm Browning)	L25AP	23716	50	Full Metal Jacket	1 ½	0.9	25	760	733	707	64	60	56	0.0	-3.2	2	0.088
30 Super Carry	L30SC	R20015	100	Full Metal Jacket	550	0.9	25	1250	1185	1129	347	312	283	-0.7	-2.9	4	
	RTP30SC	R20019	100	Jacketed Hollow Point	205	0.9	25	1235	1170	1115	339	304	276	-0.7	-3	4	
32 S&W	RPW32SW	22206	88	Lead Round Nose	1 ½	0.9	25	680	662	644	90	86	81	0.0	-4.1	3	0.114
32 S&W Long	RPW32SWL	22210	98	Lead Round Nose	1 ½	0.9	25	705	687	669	108	103	97	0.0	-3.7	4	0.119
32 Auto (7.65mm Browning)	L32AP	23704	71	Full Metal Jacket	1 ½	0.9	25	905	879	854	129	122	115	0.0	-1.9	4	0.131
327 Federal Magnum	L327	R20016	100	Jacketed Soft Point	5 ½	0.9	25	1500	1408	1324	500	440	389	-0.5	-2.1	4	
357 Mag**	RTP357M7A	22237	110	Semi-Jacketed Hollow Point	5 ½	0.9	25	1295	1182	1093	410	341	292	0.0	-0.7	4**	0.098
	HD357MA	28920	125	Brass Jacketed Hollow Point	5 ½	0.9	25	1220	1095	1009	413	333	283	0.0	-0.9	4**	0.073
	RTP357M1A	22227	125	Semi-Jacketed Hollow Point	5 ½	0.9	25	1450	1338	1240	583	497	427	0.0	-0.3	4**	0.125
	L357M12	23738	125	Jacketed Soft Point	5 ½	0.9	25	1450	1338	1240	583	497	427	0.0	-0.3	4**	0.125
	RTP357M2A	22231	158	Semi-Jacketed Hollow Point	5 ½	0.9	25	1235	1164	1104	535	475	428	0.0	-0.7	4**	0.145
	RTP357M3A	22233	158	Soft Point	5 ½	0.9	25	1235	1164	1104	535	475	428	0.0	-0.7	4**	0.145
	RPW357M5	22223	158	Lead Semi-Wadcutter	5 ½	0.9	25	1235	1164	1104	535	475	428	0.0	-0.7	4**	0.145
	RTP357M10A	22239	180	Semi-Jacketed Hollow Point	5 ½	0.9	25	1145	1095	1052	524	479	443	0.0	-0.9	8 3/8 **	0.163
357 Sig	GSB357SBB	29407	125	Bonded Brass Jacketed Hollow Point	5 ½	0.9	25	1350	1245	1157	506	430	372	0.0		4	
	L357S1	23734	125	Full Metal Jacket	5 ½	0.9	25	1350	1238	1146	506	425	365	0.0	-0.5	4	0.110
	L357S2	23692	125	Jacketed Hollow Point	5 ½	0.9	25	1350	1245	1157	506	430	372	0.0	-0.5	4	0.118
9mm Luger	RTP9MM1A	28288	115	Jacketed Hollow Point	1 ½	0.9	25	1145	1092	1048	335	304	280	0.0	-0.9	4	0.155
	RTP9MM6A	28293	115	Jacketed Hollow Point +P ‡	1 ½	0.9	25	1250	1175	1113	399	353	316	0.0	-0.7	4	0.143
	L9MM1B	23753	115	Jacketed Hollow Point	1 ½	0.9	25	1145	1092	1048	335	304	280	0.0	-0.9	4	0.155
	L9MM3	23728	115	Full Metal Jacket	1 ½	0.9	25	1145	1092	1048	335	304	280	0.0	-0.9	4	0.155
	LL9MM11	23785	115	Flat Nose Enclosed Base	1 ½	0.9	25	1145	1092	1048	335	304	280	0.0	-0.9	4	0.155
	LL9MM2	23811	124	Flat Nose Enclosed Base	1 ½	0.9	25	1110	1069	1031	339	314	292	0.0	-1.0	4	0.173
	GSB9MMDB	29341	124	Bonded Brass Jacketed Hollow Point +P ‡	1 ½	0.9	25	1125	1074	1031	348	317	293	0.0	-1.0	4	0.149
	HD9MMBN	28935	124	Brass Jacketed Hollow Point	1 ½	0.9	25	1125	1074	1031	348	317	293	0.0	-1.0	4	0.149
	HD9MMD	28948	124	Brass Jacketed Hollow Point +P ‡	1 ½	0.9	25	1180	1131	1089	383	352	326	0.0	-0.8	4	0.189
	CHD9MMBN	28963	124	Brass Jacketed Hollow Point	1 ½	0.9	25	1020	992	967	286	271	258	0.0	-1.3	2.7	0.189
	L9MM2	23718	124	Full Metal Jacket	1 ½	0.9	25	1110	1069	1031	339	314	292	0.0	-1.0	4	0.173
	GSB9MMCB	29343	147	Bonded Brass Jacketed Hollow Point	1 ½	0.9	25	990	964	941	320	304	289	0.0	-1.4	4	0.182
	RTP9MM8A	28255	147	Jacketed Hollow Point	1 ½	0.9	25	990	965	941	320	304	289	0.0	-1.4	4	0.182
	HD9MMC	28946	147	Brass Jacketed Hollow Point	1 ½	0.9	25	990	964	941	320	304	289	0.0	-1.4	4	0.182
	L9MM9	23732	147	Full Metal Jacket	1 ½	0.9	25	990	965	941	320	304	289	0.0	-1.4	4	0.182
	S9MM9	28435	147	Flat Nose Enclosed Base	1½	0.9	25	945	923	903	292	278	266	0.0	-1.7	4	0.183
	LL9MM9	23749	147	Flat Nose Enclosed Base	1 ½	0.9	25	990	965	941	320	304	289	0.0	-1.4	4	0.182
380 Auto	RTP380A1A	22248	88	Jacketed Hollow Point	1 ½	0.9	25	990	954	923	191	178	166	0.0	-1.5	4	0.13
	L380AP	23720	95	Full Metal Jacket	1 ½	0.9	25	955	904	860	192	172	156	0.0	-1.8	4	0.077
	LL380AP2	23805	95	Flat Nose Enclosed Base	1 ½	0.9	25	955	904	860	192	172	156	0.0	-1.8	4	0.077
	HD380BN	28937	102	Brass Jacketed Hollow Point	1 ½	0.9	25	940	920	901	200	192	184	0.0	-1.7	4	0.195
	CHD380BN	28964	102	Brass Jacketed Hollow Point	1 ½	0.9	25	815	801	787	265	256	247	0.0	-2.5	2.7	0.195
38 Super Auto +P	L38SUP	23722	130	Full Metal Jacket +P ‡	1 ½	0.9	25	1215	1152	1099	426	383	348	0.0	-0.7	4	0.158
38 S&W	RPW38SW	22278	146	Lead Round Nose	1 ½	0.9	25	685	668	652	152	145	138	0.0	-4.0	4	0.126
38 Spl**	RTP38S10A	22295	110	Semi-Jacketed Hollow Point +P ‡	1 ½	0.9	25	995	958	926	242	224	210	0.0	-1.5	4**	0.128
	RTP38S16A	22293	110	Semi-Jacketed Hollow Point	1 ½	0.9	25	950	919	890	220	206	194	0.0	-1.7	4**	0.126
	RTP38S21A	22303	125	Semi-Jacketed Hollow Point +P ‡	1 ½	0.9	25	945	921	898	248	235	224	0.0	-1.7	4**	0.162
	HD38SBN	28938	125	Brass Jacketed Hollow Point +P ‡	1 ½	0.9	25	975	950	927	264	250	238	0.0	-1.5	4**	0.177
	CHD38SBN	28965	125	Brass Jacketed Hollow Point +P ‡	1 ½	0.9	25	895	876	857	222	213	204	0.0	-1.9	1.875**	0.174
	LL38S17	23789	125	Flat Nose Enclosed Base	1 ½	0.9	25	850	836	822	201	184	188	0.0	-2.2	4**	0.211
	L38S2B	23771	125	Jacketed Hollow Point +P ‡	1 ½	0.9	25	945	921	898	248	235	224	0.0	-1.7	4**	0.162
	L38S11	23730	130	Full Metal Jacket	1 ½	0.9	25	800	787	775	185	179	173	0.0	-2.6	4**	0.213
	RPW38S3	22267	148	TMWC	1 ½	0.9	25	710	671	634	166	148	132	0.0	-3.9	4**	0.056
	RPW38S6	22271	158	Lead SWC	1 ½	0.9	25	755	739	723	200	191	183	0.0	-3.1	4**	0.148
	RPW38S5	22281	158	Lead Round Nose	1 ½	0.9	25	755	739	723	200	191	183	0.0	-3.1	4**	0.148
	RTP38S12	22301	158	Lead Hollow Point +P ‡	1 ½	0.9	25	890	872	855	278	267	256	0.0	-2.0	4**	0.187
	L38S5	23724	158	Lead Round Nose	1 ½	0.9	25	755	739	723	200	191	183	0.0	-3.1	4**	0.148
38 Short Colt**	RPW38SC	22273	125	Lead Round Nose	1 ½	0.9	25	730	708	686	148	139	131	0.0	-3.4	6**	0.101
40 S&W	RTP40SW1A	22305	155	Jacketed Hollow Point	1 ½	0.9	25	1205	1146	1095	500	452	413	0.0	-0.8	4	0.163
	L40SW4	23746	165	Full Metal Jacket	1 ½	0.9	25	1150	1040	964	485	396	339	0.0	-1.1	4	0.068
	GSB40SWAB	29363	165	Bonded Brass Jacketed Hollow Point	1 ½	0.9	25	1150	1089	1040	484	435	396	0.0	-0.9	4	0.135
	HD40SWA	28957	165	Brass Jacketed Hollow Point	1 ½	0.9	25	1150	1089	1040	484	435	396	0.0	-0.9	4	0.135
	HD40SWBN	28939	180	Brass Jacketed Hollow Point	1 ½	0.9	25	1015	986	960	412	388	368	0.0	-1.3	4	0.177
	CHD40SWBN	28966	180	Brass Jacketed Hollow Point	1 ½	0.9	25	785	770	756	246	237	228	0.0	-2.8	3.6	0.174
	GSB40SWBB	29365	180	Bonded Brass Jacketed Hollow Point	1 ½	0.9	25	1015	986	960	412	388	368	0.0	-1.3	4	0.177
	RTP40SW2A	22308	180	Jacketed Hollow Point	1 ½	0.9	25	1015	986	960	412	388	368	0.0	-1.3	4	0.177
	L40SW2B	23687	180	Jacketed Hollow Point	1 ½	0.9	25	1015	986	960	412	388	368	0.0	-1.3	4	0.177
	L40SW3	23742	180	Full Metal Jacket	1 ½	0.9	25	990	964	940	392	371	353	0.0	-1.4	4	0.178
	LL40SW5	23791	180	Flat Nose Enclosed Base	1 ½	0.9	25	990	964	940	392	371	353	0.0	-1.4	4	0.178
10mm Auto	L10MM6	23706	180	Full Metal Jacket	2 ½	0.9	25	1150	1103	1063	528	486	451	0.0	-0.9	4	0.180
41 Remington Mag	RTP41MG1A	23000	210	Jacketed Soft Point	2 ½	0.9	25	1300	1226	1162	788	701	629	0.0	-0.5	4**	0.159
44 Remington Mag**	L44MG7	23744	180	Jacketed Soft Point	2 ½	0.9	25	1610	1482	1366	1036	878	745	0.0	-0.1	4**	0.123
	RTP44MG2A	23002	240	Jacketed Soft Point	2 ½	0.9	25	1180	1126	1081	742	676	623	0.0	-0.8	4**	0.172
	RTP44MG3A	23010	240	Semi-Jacketed Hollow Point	2 ½	0.9	25	1180	1126	1081	742	676	623	0.0	-0.8	4**	0.172
44 S&W Spl**	RPW44SW	22333	246	Lead Round Nose	2 ½	0.9	25	755	740	725	311	299	287	0.0	-3.1	4**	0.158
45 Colt	HD45C410**	28927	230	Brass Jacketed Hollow Point	2 ½	0.9	25	850	830	811	369	352	335	0.0	-2.3	4**	0.149
	RPW45C1	22338	225	Lead SWC	2 ½	0.9	25	830	804	780	344	323	304	0.0	-2.5	4**	0.101
	RPW45C	22340	250	Lead Round Nose	2 ½	0.9	25	750	733	717	312	298	285	0.0	-3.1	4**	0.142
45 Auto	RTP45AP2A	21453	185	Jacketed Hollow Point	2 ½	0.9	25	1000	968	939	411	385	362	0.0	-1.4	4	0.149
	L45AP1	23818	185	Full Metal Jacket	2 ½	0.9	25	1015	981	951	423	395	371	0.0	-1.4	4	0.149
	HD45APA	28971	185	Brass Jacketed Hollow Point	2 ½	0.9	25	1015	981	951	423	395	372	0.0	-1.4	4	0.149
	HD45APC	28973	185	Brass Jacketed Hollow Point +P ‡	2 ½	0.9	25	1140	1086	1042	534	485	446	0.0	-0.9	4	0.150
	GSB45APAB	29325	185	Bonded Brass Jacketed Hollow Point	2 ½	0.9	25	1015	981	951	423	395	372	0.0	-1.4	4	0.149
	GSB45APBB	29327	230	Bonded Brass Jacketed Hollow Point	2 ½	0.9	25	875	853	833	391	372	354	0.0	-2.1	4	0.148
	RTP45AP7A	21455	230	Jacketed Hollow Point	2 ½	0.9	25	835	817	800	356	341	326	0.0	-2.4	4	0.161
	HD45APBN	28942	230	Brass Jacketed Hollow Point	2 ½	0.9	25	875	853	833	391	372	354	0.0	-2.1	4	0.148
	CHD45APBN	28967	230	Brass Jacketed Hollow Point	2 ½	0.9	25	725	710	695	210	201	193	0.0	-3.4	3	0.149
	L45AP4	23726	230	Full Metal Jacket	2 ½	0.9	25	835	817	800	356	341	326	0.0	-2.4	5	0.161
	S45AP4	28428	230	Flat Nose Enclosed Base	2 ½	0.9	25	830	812	795	352	337	323	0.0	-2.4	5	0.159
	L45AP7B	23689	230	Jacketed Hollow Point	2 ½	0.9	25	835	817	800	356	341	326	0.0	-2.4	5	0.161
	LL45AP8	23793	230	Flat Nose Enclosed Base	2 ½	0.9	25	835	817	800	356	341	326	0.0	-2.4	5	0.161
45 GAP	L45GAP4	23691	230	Full Metal Jacket	2 ½	0.9	25	880	860	841	395	378	361	0.0	-2.0	5	0.162

‡ Ammunition with "+p" on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the manufacturer. *Test Barrel Length ** Vented Barrel Ballistics

GOLDEN SABER BONDED (Page 61)
GOLDEN SABER DEFENSE (Page 63)
GOLDEN SABER DEFENSE COMPACT (Page 63)
HTP (Page 65)
SUBSONIC (Page 67)
PERFORMANCE WHEELGUN (Page 68)
RANGE CLEAN (Page 66)
UMC (Page 69)

SS SLUG BALLISTICS

SLUGS																	
GAUGE / BORE	INDEX/ EDI NO.	RAMAC	LENGTH (INCHES)	WEIGHT	SLUG STYLE	SIGHT HEIGHT (INCHES)	VELOCITY (FPS) MUZZLE	50	100	ENERGY (FT-LB) MUZZLE	50	100	TRAJECTORY (INCHES) 50	100	150	BALLISTIC COEFFICIENT
410	SP41RS	20618	2½	½ oz.	Rifled Slug	1.5	1830	1335	1040	654	348	211	0.0	-3.5	--	0.064
16	SP16RS	20614	2¾	4/5 oz.	Rifled Slug HP	1.5	1600	1175	965	1989	1072	724	0.0	-4.8	--	0.063
20	PRA20	20496	2¾	260 gr.	Power Part Tip	1.5	1850	1610	1399	1976	1496	1130	0.0	-1.9	-8.2	0.144
	PRA20M	20498	3	260 gr.	Power Part Tip	1.5	1900	1655	1438	2084	1581	1193	2.5	3.4	0.0	0.144
	SPHV20RS	28608	2¾	½ oz.	Rifled Slug	1.5	1800	1800	1321	1037	1575	848	0.0	-2.2	--	0.130
	PR20CS	20824	2¾	5/8 oz.	Copper Solid HP	1.5	1500	1360	1240	1444	1187	986	0.0	-3.2	--	0.206
	SP20RS	20616	2¾	5/8 oz.	Rifled Slug HP	1.5	1580	1240	1034	1513	931	648	0.0	-4.2	--	0.081
12	PR12CS	20716	2¾	1 oz.	Copper Solid HP	1.5	1450	1320	1208	2040	1689	1417	0.0	-3.5	-12.9	0.211
	PR12MCS	20718	3	1 oz.	Copper Solid HP	1.5	1550	1408	1283	2331	1923	1597	0.0	-2.9	-11.1	0.211
	PRA12	20727	2¾	385 Ggr.	Power Part Tip	1.5	1850	1611	1401	2925	2218	1677	2.7	3.6	0.0	0.145
	PRA12M	20731	3	385 gr.	Power Part Tip	1.5	1900	1656	1439	3086	2344	1771	2.5	3.4	0.0	0.145
	SPHV12RS	28600	2¾	7/8 oz.	Rifled Slug	1.5	1800	1252	978	2751	1517	813	0.0	-4.1	--	0.055
	SPHV12MRS	28604	3	7/8 oz.	Rifled Slug	1.5	1875	1302	998	2989	1442	847	0.0	-3.7	--	0.055
	RL12RS	20290	2¾	1 oz.	Rifled Slug	1.5	1200	988	873	1397	948	739	0.0	-7.4	--	0.068
	SP12RS	20300	2¾	1 oz.	Rifled Slug	1.5	1560	1203	1004	2361	1403	976	0.0	-4.5	--	0.075
	S12SRS	20302	2¾	1 oz.	Rifled Slug	1.5	1680	1285	1045	2378	1605	1059	0.0	-3.8	--	0.075
	S12MRS	20270	3	1 oz.	Rifled Slug	1.5	1760	1345	1075	3005	1753	1121	0.0	-3.4	--	0.075

*0.0 indicates yardage at which shotgun was sighted in.

PREMIER ACCUTIP SLUG (Page 51)
SLUGGER (Page 52)
SLUGGER HIGH VELOCITY (Page 52)
MANAGED RECOIL SLUGGER (Page 52)
PREMIER COPPER SOLID

MUZZLELOADER BALLISTICS

50 CALIBER																									
CARTRIDGE	INDEX/ EDI NO.	RAMAC	WT (GR)	BULLET STYLE	SIGHT HEIGHT (INCHES)	VELOCITY (FPS) MUZZLE	50	100	150	200	300	ENERGY (FT-LB) MUZZLE	50	100	150	200	300	TRAJECTORY (INCHES) MUZZLE	50	100	150	200	300	BALLISTIC COEFFICIENT
50 Caliber	RBMLR2A	30610	250	AccuTip FB	1.5	2400	2188	1987	1797	1621	1319	3198	2658	2191	1793	1459	966	-1.5	0.09	1.49	0.0	-4.28	-23.57	0.195

PREMIER ACCUTIP (Page 32)

RIMFIRE BALLISTICS

RIMFIRE																							
LINE	INDEX/ EDI NO.	RAMAC	WT (GR)	BULLET STYLE	VELOCITY (FPS) MUZZLE	50	100	150	200	ENERGY (FT-LB) MUZZLE	50	100	150	200	TRAJECTORY (INCHES) MUZZLE	50	100	150	200	BALLISTIC COEFFICIENT
Golden Bullet, High Velocity	1022 1000*	21000 21001	29	Plated Round Nose	1095	986	903	829	—	77	63	52	44	—	0.3	0	-7.4	-25.5	—	0.084
Yellow Jacket, Hyper Velocity	1722 1700*	21074 21280	33	Plated Truncated Cone HP	1500	1243	1075	983	—	165	113	85	71	—	-0.2	0	-4.1	-15.8	—	0.095
Viper, Hyper Velocity	1922 1900*	21080 21288	36	Plated Truncated Cone Solid	1410	1186	1056	976	—	159	112	89	76	—	-0.1	0	-4.7	-17.1	—	0.103
Cyclone, High Velocity	CY-22HP***	21222	36	Lead Hollow Point	1280	1104	1010	939	—	131	97	82	71	—	0.0	0	-5.6	-19.7	—	0.104
Golden Bullet, High Velocity	1622 1600* 1622E** 1622C** 1622B****	21008 21278 21229 21250 21231	36	Plated Hollow Point	1280	1104	1010	939	—	131	97	82	71	—	0.0	0	-5.6	-19.7	—	0.104
Golden Bullet, High Velocity	1522 1500*	21006 21276	40	Plated Round Nose	1255	1103	1017	952	—	140	108	92	80	—	0.0	0	-5.6	-19.6	—	0.116
Thunderbolt, High Velocity	TB-22A TB-22B***	21238 21241	40	Lead Round Nose	1255	1103	1017	952	—	140	108	92	80	—	0.0	0	-5.6	-19.6	—	0.116
Target	6122 6100*	21022 21284	40	Lead Round Nose	1150	1046	976	916	w—	117	97	85	75	—	0.2	0	-6.4	-22.0	—	0.116
Subsonic	SUB22HP SUB22HP1*	21135 21137	40	Plated Hollow Point	1050	950	867	793	—	98	80	67	56	—	-1.5	0	-8.2	-27.9	—	0.079
CBee, Low Noise, Low Velocity	CB-22LI00*	21119	33	Plated Truncated Cone HP	740	687	638	592	—	40	35	30	26	—	1.4	0	-16.9	-55.2	—	0.095
Premier Magnum Rimfire	PR17HM1	28464	17	AccuTip-V BT	2550	2212	1901	1620	1378	246	185	136	99	72	-1.5	0.2	zero	-2.6	-8.5	0.125
Premier Magnum Rimfire	PR22M1	21184	33	AccuTip-V BT	2000	1730	1495	1289	1135	293	220	163	122	94	-1.5	0.7	zero	-4.6	-14.5	0.136
Magnum Rimfire	R22M1	21170	40	JHP	1910	1610	1355	1160	1032	324	230	163	119	95	-1.5	0.9	zero	-5.7	-17.8	0.117
Magnum Rimfire	R22M2	21172	40	PSP	1910	1600	1340	1143	1018	324	228	159	116	78	-1.5	1	zero	-5.8	-18.3	0.113
Magnum Rimfire	R17HM1	20023	17	JHP	2530	2150	1804	1502	--	242	174	123	85	--	-1.5	0.2	0.0	-2.9	--	0.110
Magnum Rimfire	R17HM2	20025	20	PSP	2375	2051	1754	--	--	250	187	137	--	--	-1.5	0.3	0.0	--	--	0.125

* Available in 100-round slide-open plastic packs. ** Available in 225-round and 525-round bulk packs.
*** Available in 500-round bulk packs. **** Available in 1400-round buckets.

GOLDEN BULLET (Page 74)
YELLOW JACKET (Page 75)
VIPER (Page 75)
CYCLONE (Page 75)
THUNDERBOLT (Page 75)
TARGET (Page 74)
SUBSONIC (Page 74)
CBEE (Page 74)
PREMIER MAGNUM (Page 76)
MAGNUM (Page 76)